

Dialysis Facility Report for Fiscal Year 2027

Purpose of the Report

The *Dialysis Facility Report (DFR) for Fiscal Year (FY) 2027* is provided as a resource for characterizing selected aspects of clinical experience at this facility relative to other dialysis facilities in this state, ESRD Network, and across the United States. Since these data could be useful in quality improvement and assurance activities, each state's surveying agency may utilize this report as a resource during the FY 2027 survey and certification process.

This report has been prepared for this facility by the University of Michigan Kidney Epidemiology and Cost Center (UM-KECC) with funding from the Centers for Medicare & Medicaid Services (CMS) and is based primarily on data reported in End Stage Renal Disease Quality Reporting System (EQRS), Medicare claims and data collected for CMS. It is the thirty-first in a series of annual reports. This is one of 8,169 reports that have been distributed to ESRD providers in the U.S.

This DFR includes data specific to CCN(s): 999999

Overview

This report includes summaries of patient characteristics, treatment patterns, and patient outcomes for chronic dialysis patients who were treated in this facility between January 2022 and December 2025. Mortality, hospitalization, transplantation, and waitlist statistics are reported for a three- or four-year period. Regional and national averages are included to allow for comparisons. Some of these summaries are adjusted to account for the characteristics of the patient mix at this facility, such as age, sex and diabetes as a cause of ESRD. Unless otherwise specified, summaries include all dialysis patients.

Selected facility highlights from this report are provided on pages 2 through 5 and key data elements that are updated quarterly appear in bold font. For a complete description of the methods used to calculate the statistics in this report, please see the *Guide to the Dialysis Facility Reports for FY 2027* available for download from the methodology section of the Dialysis Data website at www.DialysisData.org.

What's New This Year

The following changes have been incorporated into the DFR for FY 2027:

- COVID-19 patient counts, deaths, and hospitalizations among Medicare dialysis patients and Medicare nursing home dialysis patients previously reported in Tables C1 and C2 are no longer provided.
- COVID-19 adjustments were removed from the SMR (Table 3), STrR (Table 8), SHR for admissions, and SRR (Table 4) models.
- Time alive and out-of-the-hospital (AOH) statistics were added to Table 4. This measure combines mortality and hospitalization outcomes to present a metric that assesses the quality of patient care, while considering the complex inter-relationship between survival and hospital utilization. The AOH percentage is the proportion of patient-years at risk that patients were both alive and not in the hospital during a given time period, adjusted for patient characteristics. A higher AOH percentage indicates the positive outcome of patients in that dialysis facility having had more time alive and out of the hospital during the reporting period.

How to Submit Comments

Between August 15, 2026 and August 31, 2026, facilities may submit comments to their state surveyor or UM-KECC by visiting www.DialysisData.org, logging on to view their report, and clicking on the **Comments & Inquiries** tab. Questions or comments after the comment period is over may be submitted to us directly at DialysisData@umich.edu.

- (1) **State Surveyor:** Select “**DFR: Comments on DFR for State Surveyor**” from the drop down list to submit comments regarding this report for the state's surveyor(s). Any comments submitted will be appended and sent to the state's surveyor(s) in September 2026. Please do not include questions for UM-KECC using this option.
- (2) **UM-KECC:** Select “**DFR: Comments on DFR for UM-KECC**” to submit questions or suggestions to improve the DFR to UM-KECC. These comments will not be shared with your state surveyor.

Dialysis Facility Report for Fiscal Year 2027

SAMPLE Dialysis Facility State: XX Network: 99 CCN: SAMPLE


Facility Highlights

Bar charts in this section are displayed as a percentage for all measures reported and highlight the facility's value compared to the state, network, and US.

The line charts in this section are displayed for all standardized measures. The markers show the values of the corresponding standardized measure for this facility, state, network, and US. The bolded horizontal line shows the range of uncertainty due to random variation (95% confidence interval; significant if it does not cross the 1.0 reference line). Regional and national values are plotted above the dotted line to allow for comparisons to facility values.

Patient Characteristics (Tables 1 and 2):


- Among the 15 incident patients with Medical Evidence Forms (CMS-2728) indicating treatment at this facility during 2025:
 - 15% of these patients were not under the care of a nephrologist before starting dialysis, compared to 15% in your State, 15% in your Network, and 15% nationally.
 - 94% of these patients were informed of their transplant options, compared to 94% in your State, 94% in your Network, and 94% nationally.
- Among the patients treated at this facility on December 31, 2025, 14% were treated in a nursing home during the year, compared to 14% in your State, 14% in your Network, and 14% nationally.




Standardized Mortality Ratio (SMR) (Table 3):

- At this facility, the 2022-2025 SMR is 0.96, which is 4% fewer deaths than expected at this facility. Among all U.S. facilities, 50% of facilities had a four-year SMR lower than 0.96. This difference is not statistically significant ($p \geq 0.05$), so this lower mortality could plausibly be just a chance occurrence. The 2022-2025 SMR of observed to expected deaths is 0.97 and 0.97 for your State and Network, respectively.
- At this facility, the 2022-2024 first-year SMR of observed to expected deaths is 0.98, which is 46% fewer deaths than expected at this facility. Among all U.S. facilities, 51% of facilities had a first-year SMR lower than 0.98. This difference is not statistically significant ($p \geq 0.05$), so this lower mortality could plausibly be just a chance occurrence. The first-year SMR (2022-2024) of observed to expected deaths is 1.00 and 1.01 for your State and Network, respectively.

2022-2025 SMR



2022-2024 First-Year SMR




Dialysis Facility Report for Fiscal Year 2027

SAMPLE Dialysis Facility State: XX Network: 99 CCN: SAMPLE


Hospitalizations and Readmissions (Table 4):

- The 2022-2025 Standardized Hospitalization Ratio (SHR-Admissions) at this facility is 0.98, which is 2% fewer admissions hospitalized than expected. This difference is not statistically significant ($p \geq 0.05$), so this lower hospitalization could plausibly be just a chance occurrence. The 2022-2025 SHR (Admissions) for your State and Network is 0.98 and 0.98, respectively.
- The 2025 Standardized Readmission Ratio (SRR) at this facility is 0.91, which is 9% fewer admissions than expected. This difference is not statistically significant ($p \geq 0.05$), so this lower number of readmissions could plausibly be just a chance occurrence. The 2025 SRR for your State and Network is 1.02 and 1.03, respectively.

2022-2025 SHR-Admissions





2022-2025 SRR



Infection (Tables 4 and 11):

- The percentage of Medicare dialysis patients at this facility hospitalized with septicemia during 2022-2025 is 12%, compared to 13% in your State, 13% in your Network, and 12% nationally.
- The 2025 rate of PD catheter-related infection was 3.0 per 100 PD patient-months, compared to 2.7 in your State, 2.7 in your Network, and 2.7 nationally.



Dialysis Facility Report for Fiscal Year 2027


SAMPLE Dialysis Facility State: XX Network: 99 CCN: SAMPLE

Transplantation (Table 5):

- The 2022-2025 Standardized 1st Transplantation Ratio (STR) of observed to expected number of patients transplanted for this facility is 1.04, which is 4% higher than expected for this facility. This difference is not statistically significant ($p \geq 0.05$) and is plausibly due to random chance. The 2022-2025 STR for your State and Network is 1.05 and 1.04, respectively.

Transplant Waitlist (Table 6):

- The 2025 age-adjusted percent waitlisted at this facility is 16.6%, which equal to the national adjusted percentage. The age-adjusted percent waitlisted in your State and Network is 16.6% and 16.6%, respectively.
- At this facility, the 2022-2024 first-year Standardized Waitlist Ratio (FySWR) is 0.97, which is 3% fewer patients on the waitlist and living donor transplants than expected at this facility. This difference is not statistically significant ($p \geq 0.05$) and could plausibly be due to a chance occurrence. The 2022-2024 FySWR for your State and Network is 1.04 and 1.03, respectively.




Influenza Vaccination (Table 7):

- Among the 60 dialysis patients treated at this facility on December 31, 2025, 78% were vaccinated between August 1 and December 31, 2025 compared to 79% nationally. This difference is not statistically significant ($p \geq 0.05$) and is plausibly due to random chance. The percentage of patients vaccinated in your State and Network is 78% and 78%, respectively.

Anemia Management (Table 8):

- In 2025, 23% of eligible hemodialysis patient-months had a hemoglobin value below 10 g/dL, compared to 23% in your State, 23% in your Network, and 23% nationally.
- In 2025, 22% of eligible peritoneal dialysis patient-months had a hemoglobin value below 10 g/dL, compared to 22% in your State, 22% in your Network, and 22% nationally.



Dialysis Facility Report for Fiscal Year 2027

SAMPLE Dialysis Facility State: XX Network: 99 CCN: SAMPLE

Dialysis Adequacy (Table 9):


- In 2025, 95% of eligible hemodialysis patient-months had a Kt/V ≥ 1.2 reported, compared to 97% in your State, 97% in your Network, and 97% nationally.
- In 2025, 91% of eligible peritoneal dialysis patient-months had a Kt/V ≥ 1.7 reported, compared to 93% in your State, 93% in your Network, and 93% nationally.

Mineral Metabolism (Table 10):

- In 2025, 18% of eligible patient-months had a serum phosphorus value >7.0 mg/dL, compared to 18% in your State, 18% in your Network, and 18% nationally.
- In 2025, 1.4% of eligible patient-months had calcium uncorrected value >10.2 mg/dL, compared to 1.3% in your State, 1.3% in your Network, and 1.3% nationally.

Vascular Access (Table 11):

- This facility's 2025 Standardized Fistula Rate (SFR) for prevalent patients is 57%, which is 0% higher than the national SFR. This difference is not statistically significant ($p \geq 0.05$) and could plausibly be due to a chance occurrence. The SFR in your State and Network is 57% and 57%, respectively.
- Of the prevalent patients receiving hemodialysis treatment at this facility in 2025, the long-term catheter rate was 20%, compared to 19% in your State, 19% in your Network, and 19% nationally.



Dialysis Facility Report for Fiscal Year 2027

SAMPLE Dialysis Facility State: XX Network: 99 CCN: SAMPLE

TABLE 1: Summaries for All Dialysis Patients Treated as of December 31st of Each Year, 2022-2025^{*1}

Measure Name		This Facility				Regional Averages ^{*A} , 2025		
		2022	2023	2024	2025	State	Network	U.S.
1a	Patients treated on 12/31 (n)	57	57	57	57	61.1	61.1	61.2
1b	Average age (years)	62.2	62.3	62.5	62.6	62.8	62.8	62.8
1c	Age (% of 1a; sums to 100%)							
	< 18	0.9	0.9	0.9	0.9	0.2	0.2	0.2
	18-64	50.4	49.8	49.2	49.0	50.0	50.0	50.1
	65+	48.7	49.3	49.9	50.1	49.8	49.7	49.6
1d	Female (% of 1a)	41.9	41.8	41.7	41.5	41.7	41.8	41.7
1e	Race (% of 1a; sums to 100%)							
	African American	33.8	33.6	33.6	32.4	34.5	34.6	32.6
	Asian/Pacific Islander	5.6	5.7	5.7	5.4	5.5	5.7	6.7
	Native American	1.4	1.5	1.5	1.4	1.3	1.3	1.3
	White	58.6	58.2	57.4	54.2	52.4	52.3	52.8
	Other/Unknown/Missing	0.7	1.0	1.8	6.5	6.2	6.2	6.5
1f	Ethnicity (% of 1a; sums to 100%)							
	Hispanic	19.2	19.9	20.4	19.2	19.7	19.9	22.8
	Non-Hispanic	80.7	80.1	79.5	69.1	69.2	68.9	66.2
	Unknown	0.0	0.0	0.1	11.7	11.2	11.1	10.9
1g	Primary Cause of ESRD (% of 1a; sums to 100%)							
	Diabetes	44.0	43.6	43.0	42.1	42.6	42.7	43.6
	Hypertension	30.4	30.6	30.9	31.4	31.9	32.0	31.4
	Glomerulonephritis	9.3	9.0	8.7	8.4	8.4	8.4	8.3
	Other/Unknown	16.0	16.6	17.1	17.7	16.7	16.6	16.4
	Missing	0.3	0.3	0.3	0.4	0.4	0.4	0.4
1h	Average duration of ESRD (years)	4.8	4.8	4.8	4.8	4.9	4.9	4.9
1i	Years since start of ESRD (% of 1a; sums to 100%)							
	< 1	17.6	17.5	17.3	17.4	16.8	16.8	16.6
	1-2	18.6	18.2	18.0	17.9	17.7	17.7	17.6
	2-3	13.4	14.4	14.1	14.0	13.9	13.9	13.9
	3-6	25.0	24.9	25.5	25.8	25.9	25.9	26.0
	6+	25.4	25.1	25.0	25.0	25.6	25.7	25.9
1j	Nursing home patients (% of 1a) ^{*2}	13.4	13.6	13.8	14.1	14.0	13.9	13.6
1k	Modality (% of 1a; sums to 100%)							
	In-center hemodialysis	83.1	82.7	82.6	82.5	82.6	82.6	83.0
	Home hemodialysis	3.2	3.4	3.6	3.9	4.5	4.5	4.2
	Continuous ambulatory peritoneal dialysis	1.5	1.6	1.8	1.9	1.7	1.7	1.7
	Continuous cycling peritoneal dialysis	11.8	11.9	11.6	11.3	10.9	10.9	10.8
	Other modality	0.4	0.4	0.3	0.4	0.4	0.4	0.4

n/a = not applicable

[*A - *F] See **Appendix: Table Footnotes** on page 28.

[*1] See *Guide, Section IV* for detailed information regarding the summaries included in Table 1.

[*2] Includes patients who were also treated by a nursing facility at any time during the year according to the Nursing Home Minimum Dataset.

Dialysis Facility Report for Fiscal Year 2027

SAMPLE Dialysis Facility State: XX Network: 99 CCN: SAMPLE

TABLE 2: Characteristics of New Dialysis Patients, 2022-2025 (Form CMS-2728) *1

Measure Name		This Facility				Regional Averages *A		
		2022	2023	2024	2025	State	Network	U.S.
Patient Characteristics							2025	
2a	Total number of patients with forms (n)	15	15	15	15	15.9	15.9	15.9
2b	Average age (years [0-95]) *2	62.6	62.8	62.8	62.9	63.1	63.1	63.1
2c	Female (% of 2a)	41.4	41.4	41.5	41.2	41.3	41.3	41.1
2d	Race (% of 2a; sums to 100%)							
	African-American	29.4	28.7	28.6	22.2	22.6	22.4	21.4
	Asian/Pacific Islander	5.6	5.6	5.6	3.1	3.1	3.2	3.6
	Native American	1.3	1.4	1.4	0.9	0.8	0.8	0.8
	White	62.2	62.1	59.8	44.0	43.9	44.0	43.3
	Other/Unknown	1.5	2.2	4.6	29.7	29.5	29.5	30.8
2e	Hispanic (% of 2a)	17.9	18.8	19.1	8.2	8.3	8.3	9.3
2f	Primary cause of ESRD (% of 2a; sums to 100%)							
	Diabetes	43.7	43.2	42.4	40.9	41.7	41.8	42.3
	Hypertension	30.7	31.1	31.3	31.6	31.9	31.9	31.6
	Primary glomerulonephritis	6.1	5.9	5.8	5.6	5.5	5.4	5.4
	Other/Unknown	19.5	19.7	20.5	21.8	20.9	20.8	20.6
2g	Medical coverage (% of 2a; sums to 100%)							
	Employer group only	11.6	11.2	11.4	11.4	11.4	11.3	11.3
	Medicare only	45.6	45.4	41.6	41.6	41.6	41.7	41.1
	Medicaid only	15.0	14.9	14.7	14.3	14.3	14.3	14.9
	Medicare and Medicaid only	6.7	7.5	8.6	8.8	9.1	9.2	9.3
	Medicare and other	8.1	8.2	9.8	10.1	9.9	9.9	9.8
	Other/Unknown	8.9	8.9	9.9	9.8	9.7	9.7	9.9
	None	4.1	3.8	4.1	4.0	3.9	3.9	3.9
2h	Median body mass index (Median; Weight/Height^2)							
	Male	28.4	28.1	28.0	28.0	27.6	27.6	27.5
	Female	29.4	29.1	29.0	28.9	28.4	28.4	28.3
2i	Employment (% of 18-60 year olds in 2a)							
	Six months prior to ESRD treatment	36.2	36.2	36.3	37.1	37.7	37.5	37.7
	At first ESRD treatment	26.8	26.7	25.5	26.5	27.0	27.0	26.8
2j	Primary modality (% of 2a; sums to 100%)							
	Hemodialysis	86.2	85.8	86.5	86.3	85.9	85.9	86.0
	CAPD/CCPD	13.8	14.2	13.5	13.7	14.1	14.1	14.0
	Other/Unknown	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2k	Number of incident hemodialysis patients (n)	13	13	13	13	13.6	13.7	13.7
2l	Access used at first outpatient dialysis (% of 2k; sums to 100%)							
	Arteriovenous fistula	13.3	14.0	13.6	13.1	12.3	12.3	12.4
	Arteriovenous graft	2.9	3.2	3.3	3.2	3.1	3.1	3.0
	Catheter	83.5	82.4	82.6	83.1	84.1	84.1	84.1
	Other/Unknown/Missing	0.4	0.4	0.6	0.6	0.5	0.5	0.5
2m	Arteriovenous fistula placed (% of 2k)	23.2	23.9	22.5	21.6	20.6	20.5	20.7
Average Lab Values Prior to Dialysis *2								
2n	Hemoglobin (g/dL [5-20])	9.3	9.3	9.4	9.4	9.4	9.4	9.4
2o	Serum albumin (g/dL [0.8-6.0])	3.4	3.4	3.5	3.5	3.5	3.5	3.5
2p	Serum creatinine (mg/dL [0-33])	6.6	6.5	6.4	6.3	6.3	6.3	6.3
2q	GFR (mL/min [0-30])	9.8	9.9	10.0	10.2	10.2	10.2	10.2

(continued)

Dialysis Facility Report for Fiscal Year 2027

SAMPLE Dialysis Facility State: XX Network: 99 CCN: SAMPLE

TABLE 2 (cont.): Characteristics of New Dialysis Patients, 2022-2025 (Form CMS-2728) *¹

Measure Name		This Facility				Regional Averages * ^A		
		2022	2023	2024	2025	State	Network	U.S.
Care Prior to ESRD Therapy								
2r	Received ESA prior to ESRD (% of 2a)	16.1	16.6	17.4	18.0	17.9	17.9	18.0
2s	Pre-ESRD nephrologist care (% of 2a; sums to 100%) * ^B							
	No	16.5	15.5	15.5	14.9	14.6	14.6	14.9
	Yes, < 6 months	19.0	19.4	19.1	19.0	18.8	18.8	18.9
	Yes, 6-12 months	18.7	18.8	18.8	18.0	17.8	17.9	17.8
	Yes, > 12 months	28.6	29.1	29.4	29.8	30.0	30.0	29.6
	Unknown/Missing	17.2	17.2	17.1	18.0	18.6	18.5	18.6
2t	Informed of transplant options (% of 2a)	92.6	92.9	93.4	93.6	93.9	93.9	93.8
2u	Patients not informed of transplant options (n)	1	1	1	1	0.9	0.9	0.9
2v	Reason not informed (% of 2u; may not sum to 100%) * ^B							
	Medically unfit	44.4	43.9	24.5	6.2	6.4	6.5	6.3
	Unsuitable due to age	0.1	0.2	0.1	0.0	0.0	0.0	0.0
	Psychologically unfit	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Patient declined information	11.8	7.4	4.2	2.7	2.4	2.4	2.4
	Patient has not been assessed	47.0	43.4	23.7	0.1	0.0	0.0	0.0
Comorbid Conditions								
2w	Pre-existing comorbidity (% yes of 2a)							
	Congestive heart failure	25.4	25.7	27.9	27.3	27.7	27.7	27.3
	Atherosclerotic heart disease	10.2	10.7	19.5	17.6	17.5	17.6	17.5
	Other cardiac disorder	19.7	20.9	25.6	24.2	24.4	24.5	24.1
	CVD, CVA, TIA	8.2	8.2	9.9	9.5	9.6	9.6	9.5
	Peripheral vascular disease	7.1	7.5	9.6	9.4	9.4	9.5	9.3
	History of hypertension	86.7	87.3	88.5	87.3	87.7	87.7	87.7
	Diabetes	62.7	62.8	63.1	61.5	62.2	62.3	62.5
	Diabetes on insulin	40.5	40.1	40.3	37.9	38.9	39.0	38.9
	COPD	7.9	7.7	8.6	8.2	8.3	8.3	8.0
	Current smoker	6.9	7.0	8.2	7.5	7.4	7.5	7.1
	Cancer	6.7	6.8	8.5	7.9	7.9	7.9	7.8
	Alcohol dependence	1.9	1.9	2.4	2.3	2.3	2.3	2.2
	Drug dependence	1.7	1.7	2.4	2.3	2.3	2.3	2.3
	Inability to ambulate	5.9	5.9	9.4	8.6	8.7	8.7	8.7
	Inability to transfer	3.1	3.0	5.5	5.0	5.2	5.3	5.3
2x	Average number of comorbid conditions	2.9	3.0	3.3	3.2	3.2	3.2	3.2
Standardized Modality Switch Ratio (SMoSR)								
		2022	2023	2024	2022-2024		2022-2024 * ^A	
2y	Eligible patients (n)	14	14	14	42 * ^C	15.4	15.4	15.3
2z	Patient-years at risk (n)	9.7	9.6	9.7	29.0 * ^C	10.6	10.6	10.5
2aa	Number of modality switches (n)	1	1	1	4 * ^C	1.3	1.3	1.3
2ab	Expected number of modality switches (n)	1.4	1.4	1.4	4.0 * ^C	1.3	1.3	1.3
2ac	SMoSR (2aa/2ab) * ^D				0.92	1.05	1.05	1.00
2ad	P-value for SMoSR * ^E				0.513	n/a	n/a	n/a
2ae	Confidence interval for SMoSR * ^E							
	High (97.5% limit)				7.89	n/a	n/a	n/a
	Low (2.5% limit)				0.37	n/a	n/a	n/a

n/a = not applicable

[*A - *F] See **Appendix: Table Footnotes** on page 28.

[*1] See *Guide, Section V* for detailed information regarding the summaries included in Table 2. Race and ethnicity questions were removed from the CMS Form-2728 in 2025. As a result, the percent of patients with missing race and with missing ethnicity are higher in 2025 than in prior years.

[*2] For continuous variables, summaries include only values in range indicated in brackets.

Dialysis Facility Report for Fiscal Year 2027

SAMPLE Dialysis Facility State: XX Network: 99 CCN: SAMPLE

TABLE 3: Mortality Summary for All Dialysis Patients (2022-25) & New Dialysis Patients (2022-24) ^{*1}

Measure Name		This Facility					Regional Averages ^{*A}		
		2022	2023	2024	2025	2022-2025	State	Network	U.S.
All Patients: Death Counts							2022-2025		
3a	Patients (n)	82	81	81	80	324 ^{*C}	81.3	81.3	89.6
3b	Patient-years at risk (n)	57.7	57.3	57.3	56.9	229.2 ^{*C}	57.5	57.5	58.9
3c	Deaths (n)	11	10	10	10	41 ^{*C}	10.4	10.4	11.1
3d	Expected deaths (n)	11.7	11.0	11.2	11.2	43.0 ^{*C}	10.8	10.8	11.1
3e	Withdrawal from dialysis prior to death (% of 3c)	22.4	23.3	23.6	24.5	23.3	23.8	23.6	22.8
3f	Death due to Infections (% of 3c)	9.9	9.6	9.2	8.9	9.4	9.2	9.3	9.2
	Death due to Cardiac causes (% of 3c)	45.4	46.1	46.0	44.9	45.4	45.7	45.8	44.6
	Death due to Liver disease (% of 3c)	1.3	1.3	1.3	1.2	1.2	1.2	1.2	1.2
3g	Dialysis unrelated deaths (n; excluded from SMR)	0	0	0	0	0 ^{*C}	0.1	0.1	0.1
All Patients: Standardized Mortality Ratio (SMR)									
3h	SMR (3c/3d) ^{*D, *2}	0.93	0.92	0.91	0.90	0.96	0.97	0.97	1.00
3i	P-value for SMR ^{*E}	0.486	0.490	0.491	0.490	0.498	n/a	n/a	n/a
3j	Confidence interval for SMR ^{*E}								
	High (97.5% limit)	1.85	1.88	1.90	1.88	1.59	n/a	n/a	n/a
	Low (2.5% limit)	0.51	0.49	0.49	0.50	0.62	n/a	n/a	n/a
3k	SMR percentiles for this facility								
	In this State	51	51	51	50	50	n/a	n/a	n/a
	In this Network	50	51	50	50	50	n/a	n/a	n/a
	In the U.S.	50	50	50	50	50	n/a	n/a	n/a
New Patients: First-Year Death Counts		2022	2023	2024		2022-2024		2022-2024	
3l	New patients (n)	15	15	15		45 ^{*C}	15.3	15.3	15.3
3m	Patient-years at risk (n)	13.4	13.4	13.4		40.2 ^{*C}	13.7	13.7	13.7
3n	Deaths (n)	2	2	2		7 ^{*C}	2.5	2.5	2.5
3o	Expected deaths (n)	2.5	2.5	2.6		7.4 ^{*C}	2.4	2.4	2.4
3p	Withdrawal from dialysis prior to death (% of 3n)	22.8	24.2	24.7		23.6	23.8	23.7	23.5
3q	Death due to Infections (% of 3n)	9.2	9.2	8.8		9.0	8.6	8.7	8.7
	Death due to Cardiac causes (% of 3n)	40.3	40.2	39.8		39.7	39.6	39.7	40.0
	Death due to Liver disease (% of 3n)	2.4	2.0	2.2		2.2	2.2	2.2	2.2
First-Year Standardized Mortality Ratio (FySMR)									
3r	FySMR (3n/3o) ^{*D, *2}	0.96	0.93	0.92		0.98	1.00	1.01	1.00
3s	P-value for FySMR ^{*E}	0.497	0.502	0.505		0.500	n/a	n/a	n/a
3t	Confidence interval for FySMR ^{*E}								
	High (97.5% limit)	2.48	2.55	2.60		2.22	n/a	n/a	n/a
	Low (2.5% limit)	0.35	0.33	0.33		0.41	n/a	n/a	n/a
3u	FySMR percentiles for this facility								
	In this State	50	51	50		51	n/a	n/a	n/a
	In this Network	50	51	50		51	n/a	n/a	n/a
	In the U.S.	50	51	50		51	n/a	n/a	n/a

n/a = not applicable

[*A - *F] See **Appendix: Table Footnotes** on page 28.

[*1] See *Guide, Section VI* for detailed information regarding the summaries included in Table 3.

[*2] The SMRs (3h, 3r) are not shown if there are fewer than 3 expected deaths.

Dialysis Facility Report for Fiscal Year 2027

SAMPLE Dialysis Facility State: XX Network: 99 CCN: SAMPLE

TABLE 4: Hospitalization Summary for Medicare Dialysis Patients, 2022-2025^{*1}

Measure Name		This Facility				Regional Averages ^{*A} , per Year			
		2022	2023	2024	2025	2022-2025	State	Network	U.S.
Medicare Dialysis Patients		2022-2025							
4a	Medicare dialysis patients (n)	64	63	63	63	254 ^{*C}	63.6	63.6	69.5
4b	Patient-years at risk (n)	43.7	43.4	43.6	43.1	173.8 ^{*C}	43.6	43.6	44.3
Standardized Hospitalization Ratio (SHR) for Days Hospitalized ^{*2}									
4c	Total days hospitalized (n)	495	483	497	517	1,992 ^{*C}	499.8	499.7	540.6
4d	Expected total days hospitalized (n)	544.9	534.6	557.3	580.7	2,109.6 ^{*C}	527.4	527.4	540.6
4e	SHR (Days) (4c/4d) ^{*D}	0.91	0.90	0.89	0.89	0.94	0.95	0.95	1.00
4f	P-value for SHR (Days) ^{*E}	0.499	0.506	0.501	0.503	0.498	n/a	n/a	n/a
4g	Confidence interval for SHR (Days) ^{*E}								
	High (97.5% limit)	1.95	1.96	1.90	1.90	1.70	n/a	n/a	n/a
	Low (2.5% limit)	0.56	0.56	0.57	0.57	0.64	n/a	n/a	n/a
4h	SHR (Days) percentiles for this facility								
	In this State	50	50	50	50	50	n/a	n/a	n/a
	In this Network	50	50	50	50	50	n/a	n/a	n/a
	In the U.S.	50	50	50	50	50	n/a	n/a	n/a
Standardized Hospitalization Ratio (SHR) for Hospital Admissions ^{*2, *3}									
4i	Total admissions (n)	61	62	65	69	257 ^{*C}	64.4	64.4	67.2
4j	Expected total admissions (n)	64.9	66.0	70.6	74.8	262.7 ^{*C}	65.7	65.7	67.2
4k	SHR (Admissions) (4i/4j) ^{*D}	0.95	0.94	0.92	0.92	0.98	0.98	0.98	1.00
4l	P-value for SHR (Admissions) ^{*E}	0.498	0.502	0.501	0.504	0.500	n/a	n/a	n/a
4m	Confidence interval for SHR (Admissions) ^{*E}								
	High (97.5% limit)	1.71	1.68	1.68	1.68	1.53	n/a	n/a	n/a
	Low (2.5% limit)	0.62	0.62	0.63	0.62	0.69	n/a	n/a	n/a
4n	SHR (Admissions) percentiles for this facility								
	In this State	50	50	50	50	50	n/a	n/a	n/a
	In this Network	50	50	50	50	50	n/a	n/a	n/a
	In the U.S.	50	50	50	49	50	n/a	n/a	n/a
4o	Diagnoses associated with hospitalization (% of 4a)								
	Septicemia	12.0	12.1	12.4	13.1	12.4	12.8	12.8	12.3
	Acute myocardial infarction	7.3	7.7	8.3	8.9	7.9	8.3	8.3	7.9
	Congestive heart failure	27.7	28.6	30.1	31.6	29.3	30.3	30.3	28.9
	Cardiac dysrhythmia	18.5	18.9	19.8	21.1	19.4	20.0	19.9	19.0
	Cardiac arrest	2.8	2.5	2.5	2.7	2.6	2.7	2.7	2.6
4p	One day admissions (% of 4i)	8.4	8.4	8.1	7.9	8.2	8.0	8.0	8.0
4q	Average length of stay (days per admission; 4c/4i)	8.1	7.8	7.7	7.6	7.8	7.7	7.7	8.1
4r	Admissions that originate in the ED (% of 4i)	81.5	81.5	81.7	82.1	81.7	84.1	84.3	84.6

(continued)

Dialysis Facility Report for Fiscal Year 2027

SAMPLE Dialysis Facility State: XX Network: 99 CCN: SAMPLE

TABLE 4 (cont.): Hospitalization Summary for Medicare Dialysis Patients, 2022-2025^{*1}

Measure Name		This Facility					Regional Averages ^{*A} , per Year		
		2022	2023	2024	2025	2022-2025	State	Network	U.S.
Standardized Emergency Department Encounter Ratio (SEDR) ^{*2}									
4s	Emergency department (ED) events (n)	30	26	25	24	105 ^{*C}	26.4	26.4	26.4
4t	Expected number of emergency department events (n)	31.0	27.9	27.0	26.6	106.9 ^{*C}	26.7	26.7	26.7
4u	SEDR (4s/4t) ^{*D}	0.95	0.94	0.92	0.91	0.98	0.99	0.99	1.00
4v	P-value for SEDR ^{*E}	0.501	0.499	0.502	0.502	0.497	n/a	n/a	n/a
4w	Confidence interval for SEDR ^{*E}								
	High (97.5% limit)	2.22	2.22	2.21	2.26	1.91	n/a	n/a	n/a
	Low (2.5% limit)	0.51	0.51	0.51	0.50	0.57	n/a	n/a	n/a
Standardized Ratio of ED Encounters Occurring within 30 Days of Hospital Discharge (ED30) ^{*2}									
4x	Index discharges (n)	25	23	22	22	92 ^{*C}	23.4	23.4	23.4
4y	Total ED visits within 30 days of hospital discharge (n)	4	3	3	3	13 ^{*C}	3.3	3.3	3.3
4z	Expected total ED visits within 30 days of hospital discharge (n)	4.3	4.1	4.0	4.1	13.7 ^{*C}	3.4	3.4	3.4
4aa	ED30 Ratio (4y/4z) ^{*E}	0.82	0.80	0.79	0.78	0.95	1.03	1.03	1.02
4ab	P-value for ED30 Ratio ^{*E}	0.503	0.498	0.496	0.500	0.498	n/a	n/a	n/a
4ac	Confidence interval for ED30 Ratio ^{*E}								
	High (97.5% limit)	2.60	2.62	2.63	2.61	2.03	n/a	n/a	n/a
	Low (2.5% limit)	0.30	0.31	0.30	0.30	0.44	n/a	n/a	n/a
Standardized Readmission Ratio (SRR) ^{*2}								2025	
4ad	Index discharges (n)	54	55	57	60		65.2	65.2	65.2
4ae	Total readmissions (n)	14	15	16	17		18.2	18.2	18.2
4af	Expected total readmissions (n)	15.0	15.8	17.1	18.4		18.4	18.4	18.4
4ag	SRR (4ae/4af) ^{*D}	0.94	0.92	0.91	0.91		1.02	1.03	1.03
4ah	P-value for SRR ^{*E}	0.502	0.501	0.502	0.496		n/a	n/a	n/a
4ai	Confidence interval for SRR ^{*E}								
	High (97.5% limit)	1.66	1.63	1.60	1.56		n/a	n/a	n/a
	Low (2.5% limit)	0.53	0.54	0.54	0.57		n/a	n/a	n/a
Time Alive and Out of Hospital (AOH) ^{*4}									
4aj	Percent of time AOH (% of 4b)	88.8	89.6	89.7	89.4		89.2	89.2	89.2
	Percent of time lost due to death (% of 4b)	8.6	7.7	7.6	7.7		7.8	7.8	7.8
	Percent of time lost to hospitalizations (% of 4b)	2.7	2.7	2.8	3.0		3.0	3.0	3.0
4ak	Adjusted percent of time AOH	88.7	89.4	89.5	89.3		89.3	89.3	89.3
4al	P-value for time AOH ^{*E}	0.403	0.400	0.394	0.400		n/a	n/a	n/a
4am	Confidence interval for time AOH ^{*E}								
	High (97.5% limit)	0.82	0.83	0.84	0.83		n/a	n/a	n/a
	Low (2.5% limit)	0.95	0.95	0.95	0.95		n/a	n/a	n/a

n/a = not applicable

[*A - *F] See **Appendix: Table Footnotes** on page 28.

[*1] See *Guide, Section VII* for detailed information regarding the summaries included in Table 4. SEDR and ED30 statistics include only patients with Medicare as primary insurer and exclude patients with Medicare Advantage plans. All other summaries include patients with Medicare as primary insurer or with Medicare Advantage plan.

[*2] SHRs and SEDR are not shown if there are fewer than five patient years at risk. SRR and ED30 ratios are not shown if fewer than 11 index discharges in the year. Adjusted percent of time AOH is not shown if there are fewer than 11 eligible patients.

[*3] Row 4o includes diagnoses in any position on a hospital inpatient claim.

[*4] In order to appropriately count time lost due to death for the AOH percentage, time at risk continues beyond a deceased patient's death date through the end of that calendar year.

Dialysis Facility Report for Fiscal Year 2027

SAMPLE Dialysis Facility State: XX Network: 99 CCN: SAMPLE

TABLE 5: Transplantation Summary for Dialysis Patients under Age 75, 2022-2025^{*1}

Measure Name	This Facility					Regional Averages ^{*A} , per Year, 2022-2025		
	2022	2023	2024	2025	2022-2025	State	Network	U.S.
All Transplants								
5a Eligible patients (n)	65	64	63	62	254 ^{*C}	63.8	63.8	70.5
5b Transplants (n)	2	3	3	2	10 ^{*C}	2.5	2.5	2.5
5c Donor type (sums to 5b) ^{*B}								
Living donor (n)	0	0	0	0	2 ^{*C}	0.4	0.4	0.5
Deceased donor (n)	2	2	2	2	8 ^{*C}	2.0	2.0	2.1
First Transplants								
5d Eligible patients (n)	61	60	59	58	238 ^{*C}	59.7	59.7	65.6
5e Patient-years at risk (n)	43.0	42.3	41.9	41.3	168.5 ^{*C}	42.2	42.3	43.3
5f First transplants (n) ^{*2}	2	2	2	2	9 ^{*C}	2.2	2.2	2.2
5g Expected first transplants (n)	.	.	.	.	8.7 ^{*C}	2.1	2.1	2.2
Standardized 1st Transplantation Ratio (STR)^{*3}								
5h STR (5f/5g) ^{*D}					1.04	1.05	1.04	1.00
5i P-value for STR ^{*E}					0.390	n/a	n/a	n/a
5j Confidence interval for STR ^{*E}								
High (97.5% limit)					2.02	n/a	n/a	n/a
Low (2.5% limit)					0.50	n/a	n/a	n/a
5k STR percentiles for this facility								
In this State					51	n/a	n/a	n/a
In this Network					51	n/a	n/a	n/a
In the U.S.					50	n/a	n/a	n/a

n/a = not applicable

[*A - *F] See **Appendix: Table Footnotes** on page 28.

[*1] See *Guide, Section VIII* for detailed information regarding the summaries included in Table 5.

[*2] Among first transplants that occurred after the start of dialysis from 2022-2025, 3.3% of transplants in the U.S. were not included because the transplant occurred fewer than 91 days after the start of ESRD and 0.8% were not included because the patient was not assigned to a facility at time of transplant.

[*3] This section is calculated for the 4-year period only and not reported if there are fewer than 3 expected transplants.

Dialysis Facility Report for Fiscal Year 2027

SAMPLE Dialysis Facility State: XX Network: 99 CCN: SAMPLE

TABLE 6: Waitlist Summary for All Dialysis Patients (2022-2025) & New Dialysis Patients (2022-2024)^{*1}

Measure Name		This Facility				Regional Averages ^{*A}			
		2022	2023	2024	2025	2022-2025	State	Network	U.S.
All Dialysis Patients under Age 75								2025	
6a	Eligible patients (n)	64	62	61	60		60.4	60.4	58.1
6b	Patient-months at risk (n) ^{*F}	539	530	522	514		516.4	516.7	496.3
6c	Patient-months on the waitlist (% of 6b) ^{*F}	16.4	16.2	16.3	16.6		16.7	16.6	16.9
6d	Patient-months on the waitlist by subgroup (%) ^{*F, *2}								
	Age < 40	24.2	24.1	24.8	25.4		26.5	26.4	26.7
	Age 40-74	15.4	15.1	15.1	15.4		15.5	15.4	15.8
	Male	17.5	17.1	17.5	17.9		17.9	17.8	18.2
	Female	14.8	14.6	14.6	14.7		14.9	14.7	15.0
	African American	16.8	16.3	16.2	16.4		15.9	15.9	15.7
	Asian/Pacific Islander	24.0	23.7	22.9	24.8		25.6	24.9	24.6
	Native American	11.9	10.9	12.8	13.2		13.8	13.7	10.4
	White, Hispanic	16.3	16.2	16.5	17.8		16.3	16.0	17.8
	White, non-Hispanic	16.0	15.7	16.1	16.0		16.8	16.9	16.9
	Other/unknown race	15.3	15.0	14.5	12.8		13.6	13.6	13.8
	Diabetes	13.8	13.7	13.8	14.2		14.3	14.1	14.5
	Non-diabetes	18.4	18.0	18.0	18.2		18.5	18.5	18.8
	Previous kidney transplant	28.1	27.4	26.9	26.1		27.4	27.5	27.7
	No previous kidney transplant	15.6	15.3	15.5	15.8		15.9	15.7	16.1
	< 2 years since start of ESRD	12.7	12.7	13.1	13.6		14.4	14.3	14.3
	2-4 years since start of ESRD	21.1	20.8	20.8	21.2		21.4	21.3	21.7
	5+ years since start of ESRD	16.7	16.0	15.7	15.4		14.6	14.6	15.4
6e	Age-adjusted percentage of patient-months waitlisted ^{*3}	16.5	16.1	16.3	16.6		16.6	16.6	16.6
6f	P-value for percent waitlisted ^{*E}	0.488	0.494	0.497	0.501		n/a	n/a	n/a
6g	Confidence interval for percent waitlisted ^{*E}								
	High (97.5% limit)	43.6	43.1	43.1	43.6		n/a	n/a	n/a
	Low (2.5% limit)	5.8	5.7	5.7	5.8		n/a	n/a	n/a
Dialysis Patients in Active Status on the Waitlist									
6h	Patient-months on the waitlist in active status (% of 6b) ^{*F}	9.6	9.4	9.6	9.9		10.0	9.9	10.2
6i	Age-adjusted percentage of patient-months waitlisted in active status ^{*3}	9.7	9.4	9.6	9.9		9.9	9.9	9.9
6j	P-value for percent waitlisted in active status ^{*E}	0.503	0.511	0.515	0.522		n/a	n/a	n/a
6k	Confidence interval for percent waitlisted in active status ^{*E}								
	High (97.5% limit)	34.2	33.5	33.9	34.4		n/a	n/a	n/a
	Low (2.5% limit)	2.8	2.7	2.7	2.8		n/a	n/a	n/a

(continued)

Dialysis Facility Report for Fiscal Year 2027

SAMPLE Dialysis Facility State: XX Network: 99 CCN: SAMPLE

TABLE 6 (cont.): Waitlist Summary for All Dialysis Patients (2022-2025) & New Dialysis Patients (2022-2024)*¹

Measure Name		This Facility				Regional Averages ^{*A}			
		2022	2023	2024	2025	2022-2025	State	Network	U.S.
All Patients: Prevelent Standardized Waitlist Ratio (PSWR)						2022-2025 ^{*A}			
6l	Eligible patients (n)	52	49	47	44	92 ^{*C}	23.1	23.1	26.9
6m	Patient-years at risk (n)	37.7	35.0	33.2	31.7	137.6 ^{*C}	34.6	34.6	35.6
6n	Waitlist events (n) ^{*4}	3	3	3	3	11 ^{*C}	2.8	2.8	2.8
6o	Expected waitlist events (n) ^{*4}	2.7	2.8	3.0	3.1	11.1 ^{*C}	2.8	2.8	2.8
6p	PSWR (6n/6o) ^{*D}	0.98	0.97	0.95	0.94	1.01	1.04	1.03	1.01
6q	P-value for PSWR ^{*E}	0.499	0.495	0.497	0.498	0.492	n/a	n/a	n/a
6r	Confidence interval for PSWR ^{*E}								
	High (97.5% limit)	6.18	82.59	13.90	6.50	3.89	n/a	n/a	n/a
	Low (2.5% limit)	0.24	0.26	0.26	0.25	0.35	n/a	n/a	n/a
New Patients: First-Year Standardized Waitlist Ratio (FySWR)		2022	2023	2024		2022-2024	2022-2024 ^{*A}		
6s	Eligible patients (n)	10	10	10		29 ^{*C}	10.1	10.1	10.1
6t	Patient-years at risk (n)	8.9	8.8	8.6		26.3 ^{*C}	9.0	9.0	9.1
6u	First waitlist events (n) ^{*4}	1	1	1		3 ^{*C}	0.9	0.9	0.9
6v	Expected first waitlist events (n) ^{*4}	1.0	1.0	1.0		2.8 ^{*C}	0.9	0.9	0.9
6w	FySWR (6u/6v) ^{*D}					0.97	1.04	1.03	1.00
6x	P-value for FySWR ^{*E}					0.502	n/a	n/a	n/a
6y	Confidence interval for FySWR ^{*E}								
	High (97.5% limit)					2.65	n/a	n/a	n/a
	Low (2.5% limit)					0.32	n/a	n/a	n/a

n/a = not applicable

[*A - *F] See **Appendix: Table Footnotes** on page 28.

[*1] See *Guide, Section IX* for detailed information regarding the summaries included in Table 6. Eligible patient-months (6b) include patients assigned to the facility on the last day of each month.

[*2] The waitlist percentage for each subgroup is calculated as a rate of waitlisted patient-months to patient-months at risk in each subgroup. A missing value indicates that there were no eligible patients in the subgroup.

[*3] Age-adjusted percentages of prevalent patients waitlisted (6e,6i) is not shown if there are fewer than 11 eligible patients in this facility.

[*4] An event is defined as a waitlisting or living-donor transplant. FySWR and PSWR are not shown if a facility has fewer than 2 expected waitlisted events or fewer than 11 eligible patients.

Dialysis Facility Report for Fiscal Year 2027

SAMPLE Dialysis Facility State: XX Network: 99 CCN: SAMPLE

TABLE 7: Influenza Vaccination Summary for All Dialysis Patients, Flu Seasons during August 2022 - December 2025^{*1}

Measure Name		This Facility				Regional Averages ^{*A}		
		2022	2023	2024	2025	State	Network	U.S.
						2025		
7a	Eligible patients on 12/31 (n)	61	61	61	60	61.6	61.6	61.7
7b	Patients excluded due to medical contraindication (n)	2	1	1	2	1.5	1.5	1.5
Full Flu Season (Aug. 1-Mar. 31 of following year)						2024		
7c	Patients vaccinated (% of 7a)	81.3	79.1	79.1		79.5	79.6	79.8
7d	P-value ^{*E} (for 7c compared to U.S. value ^{*2})	0.176	0.168	0.178		n/a	n/a	n/a
7e	Reason for no vaccination (% of 7a)							
	Declined vaccination	7.7	8.5	12.3		12.5	12.4	12.2
	Other reason or vaccine data not available	11.0	12.4	8.6		8.0	8.0	8.0
Half Flu Season (Aug. 1-Dec. 31)						2025		
7f	Patients vaccinated (% of 7a)	80.2	77.8	77.5	77.7	78.3	78.4	78.7
7g	P-value ^{*E} (for 7f compared to U.S. value ^{*3})	0.173	0.165	0.176	0.174	n/a	n/a	n/a
7h	Patients vaccinated by subgroup (%) ^{*4}							
	Medicare	81.2	78.9	78.4	78.7	79.1	79.2	79.4
	Medicare Advantage	82.4	80.1	79.7	79.7	80.2	80.4	80.6
	Medicare as primary insurer	80.2	77.9	77.1	77.5	77.7	77.7	78.0
	Non-Medicare	74.5	71.4	71.5	72.3	73.2	73.5	74.7
	Dual Medicare/Medicaid eligible	79.9	77.9	76.8	77.5	77.6	77.7	78.0
	Age < 18	64.6	61.8	66.8	65.1	63.5	63.2	61.4
	Age 18-39	70.9	67.9	67.1	69.4	69.2	69.3	69.8
	Age 40-64	78.4	75.0	74.4	74.7	74.9	75.1	75.6
	Age 65-74	82.8	80.8	80.2	80.1	80.5	80.6	80.8
	Age 75+	85.2	83.6	83.5	83.6	84.0	84.1	84.1
	Male	79.8	77.1	76.7	76.8	77.3	77.4	77.7
	Female	81.1	79.1	78.8	79.2	79.3	79.3	79.6
	African American	77.9	74.7	74.4	75.1	75.0	74.9	75.5
	Asian/Pacific Islander	84.9	82.8	83.6	85.2	85.6	85.9	86.0
	Native American	80.4	78.9	79.4	78.3	77.9	79.6	83.0
	White	81.1	78.8	78.2	79.1	79.7	79.9	80.5
	Other/unknown race	76.0	73.8	74.5	69.0	69.7	70.0	71.1
	Hispanic	82.3	80.2	80.2	81.6	82.8	83.4	84.1
	< 1 year since start of ESRD	71.6	70.9	70.6	71.4	71.3	71.4	71.6
	1-2 years since start of ESRD	80.9	77.2	76.7	77.1	77.2	77.3	77.5
	3+ years since start of ESRD	84.2	81.6	81.1	81.0	81.6	81.7	82.0

n/a = not applicable

[*A - *F] See **Appendix: Table Footnotes** on page 28.

[*1] See *Guide, Section X* for detailed information regarding the summaries included in Table 7. All Dialysis Patients are those treated on December 31st of the reporting year.

[*2] Compared to the U.S. value for that year and time period (8/1-3/31): 82.2% (2022), 79.9% (2023), 79.8% (2024).

[*3] Compared to the U.S. value for that year and time period (8/1-12/31): 81.1% (2022), 78.6% (2023), 78.1% (2024), 78.7% (2025).

[*4] A missing value indicates that there were no eligible patients in the subgroup.

Dialysis Facility Report for Fiscal Year 2027

SAMPLE Dialysis Facility State: XX Network: 99 CCN: SAMPLE

TABLE 8: Anemia Management Summaries for Adult Dialysis Patients, 2022-2025^{*1}

Measure Name		This Facility				Regional Averages ^{*A} , 2025		
		2022	2023	2024	2025	State	Network	U.S.
Hemoglobin and ESA for Adult Hemodialysis (HD) Patients								
8a	Eligible HD patients (n)	68	67	66	66	72.9	73.0	73.0
8b	Eligible HD patient-months (n) ^{*F}	581	575	573	574	631.7	632.3	632.5
8c	Average hemoglobin (g/dL) (average of 8b)	10.7	10.7	10.7	10.7	10.7	10.7	10.8
8d	Hemoglobin categories (% of 8b; sums to 100%)							
	<10 g/dL	23.7	23.3	23.5	23.3	23.2	23.2	23.0
	10-<11 g/dL	33.3	32.3	32.6	32.2	32.7	32.8	32.8
	11-12 g/dL	27.8	29.1	29.0	28.8	29.2	29.2	29.2
	>12 g/dL	12.0	12.8	12.7	12.9	12.8	12.8	12.8
	Missing/Out of range	3.2	2.5	2.1	2.8	2.1	2.1	2.1
8e	ESA prescribed (% of 8b)	75.0	75.8	76.5	75.2	76.2	76.3	76.4
Hemoglobin and ESA for Adult Peritoneal Dialysis (PD) Patients								
8f	Eligible PD patients (n)	11	11	11	10	23.4	23.1	23.0
8g	Eligible PD patient-months (n) ^{*F}	82	83	83	81	185.9	183.7	182.4
8h	Average hemoglobin (g/dL) (average of 8g)	10.9	11.0	11.0	11.0	11.0	11.0	11.0
8i	Hemoglobin categories (% of 8g; sums to 100%)							
	<10 g/dL	22.8	22.4	22.4	21.9	22.0	22.0	22.2
	10-<11 g/dL	27.6	26.7	27.3	27.6	28.2	28.1	28.3
	11-12 g/dL	25.5	26.1	26.2	26.3	26.8	26.8	26.7
	>12 g/dL	19.5	20.6	20.6	20.3	20.2	20.3	19.9
	Missing/Out of range	4.6	4.2	3.4	3.9	2.8	2.8	2.9
8j	ESA prescribed (% of 8g)	53.4	53.6	53.7	53.0	53.7	53.6	54.3
Standardized Transfusion Ratio (STrR)								
8k	Eligible adult Medicare patients (n)	29	26	24	23	24.7	24.7	24.8
8l	Patient-years at risk (n)	16.6	14.5	13.5	12.6	13.6	13.6	13.6
8m	Total transfusions (n)	5	5	4	4	4.3	4.3	4.3
8n	Expected total transfusions (n)	5.8	5.1	4.7	4.6	4.5	4.5	4.6
8o	STrR (8m/8n) ^{*D, *E}	0.91	0.90	0.88	0.88	0.98	0.98	1.00
8p	P-value for STrR ^{*E}	0.504	0.502	0.500	0.498	n/a	n/a	n/a
8q	Confidence interval for STrR ^{*E}							
	High (97.5% limit)	3.52	3.52	3.51	3.68	n/a	n/a	n/a
	Low (2.5% limit)	0.39	0.39	0.39	0.38	n/a	n/a	n/a

n/a = not applicable

[*A - *F] See **Appendix: Table Footnotes** on page 28.

[*1] See *Guide, Section XI* for detailed information regarding the summaries included in Table 8. Transfusion summaries include adult Medicare dialysis patients only and not shown if there are fewer than 10 patient-years at risk (8l).

Dialysis Facility Report for Fiscal Year 2027

SAMPLE Dialysis Facility State: XX Network: 99 CCN: SAMPLE

TABLE 9: Dialysis Adequacy Summaries for Adult Dialysis Patients, 2022-2025^{*1}

Measure Name		This Facility				Regional Averages ^{*A} , 2025		
		2022	2023	2024	2025	State	Network	U.S.
Hemodialysis (HD) Adequacy								
9a	Eligible adult HD patients (n)	68	67	66	66	72.9	73.0	73.0
9b	Eligible adult HD patient-months (n) ^{*F}	581	575	573	574	631.7	632.3	632.5
9c	Average serum albumin (g/dL) (average of 9b)	3.9	3.9	3.9	3.9	3.9	3.9	3.9
9d	Serum albumin categories (% of 9b; sums to 100%)							
	< 3.0 g/dL	1.9	1.8	1.8	1.6	1.6	1.7	1.6
	3.0-<3.5 g/dL	8.3	8.1	8.1	7.3	7.4	7.4	7.3
	3.5-<4.0 g/dL	36.9	39.5	39.9	36.3	37.0	37.1	36.6
	>=4.0 g/dL	48.3	47.1	47.4	50.1	50.0	50.0	50.6
	Missing	4.5	3.5	2.9	4.6	3.9	3.9	3.9
9e	Serum albumin<4.0 g/dl (% of 9b)	47.1	49.4	49.7	45.3	46.1	46.1	45.5
9f	Ultrafiltration rate average (ml/kg/hr) (average of 9b)	7.6	7.5	7.5	7.4	7.5	7.5	7.5
9g	Ultrafiltration rate categories (% of 9b; sums to 100%)							
	<=13 ml/kg/hr	85.1	85.6	86.6	87.5	88.8	88.8	88.7
	>13 ml/kg/hr	7.6	7.4	7.1	6.7	6.9	6.9	7.0
	Out of Range (=20 ml/kg/hr)	2.4	2.6	2.5	2.3	2.2	2.2	2.1
	Missing	4.9	4.4	3.8	3.5	2.1	2.1	2.2
9h	Eligible adult HD Kt/V patients (n)	64	63	62	62	70.0	70.1	70.1
9i	Eligible adult HD Kt/V patient-months (n) ^{*F}	543	538	532	531	602.1	602.5	602.8
9j	Average Kt/V ^{*4} (average of 9i) ^{*2}	1.6	1.6	1.6	1.6	1.6	1.6	1.6
9k	Kt/V categories (% of 9i; sums to 100%) ^{*2}							
	<1.2	2.6	2.5	2.4	2.5	1.8	1.7	1.7
	1.2-<1.8	71.6	69.4	71.3	71.8	72.6	72.6	72.4
	>=1.8	22.7	25.5	24.0	23.2	24.1	24.1	24.3
	Missing/Out of range	3.0	2.6	2.3	2.5	1.6	1.6	1.6
Peritoneal Dialysis (PD) Adequacy								
9l	Eligible adult PD patients (n)	11	11	11	10	23.4	23.1	23.0
9m	Eligible adult PD patient-months (n) ^{*F}	82	83	83	81	185.9	183.7	182.4
9n	Average weekly Kt/V (average of 9m) ^{*2}	2.2	2.2	2.2	2.3	2.2	2.2	2.2
9o	Weekly Kt/V categories (% of 9m; sums to 100%) ^{*2}							
	<1.7	6.3	5.7	5.7	5.5	4.9	4.9	4.9
	1.7-<2.5	65.4	65.1	65.5	65.8	68.1	68.1	68.5
	>=2.5	23.5	24.3	24.5	24.9	24.6	24.6	24.1
	Missing/Out of range	4.8	4.9	4.3	3.8	2.5	2.4	2.5
9p	Average serum albumin (g/dL) (average of 9m)	3.7	3.7	3.7	3.7	3.7	3.7	3.7
9q	Serum albumin categories (% of 9m; sums to 100%)							
	< 3.0 g/dL	6.0	5.0	5.1	4.9	4.9	5.0	4.8
	3.0-<3.5 g/dL	20.7	19.7	20.2	19.1	19.7	19.7	19.4
	3.5-<4.0 g/dL	42.0	43.8	44.1	41.9	43.0	43.0	43.0
	>=4.0 g/dL	26.7	27.1	26.9	29.8	29.2	29.2	29.6
	Missing	4.6	4.3	3.6	4.3	3.1	3.1	3.2
9r	Serum albumin <4.0 g/dL(% of 9m)	68.7	68.6	69.4	65.9	67.7	67.7	67.1

n/a = not applicable

[*A - *F] See **Appendix: Table Footnotes** on page 28.

[*1] See *Guide, Section XII* for detailed information regarding the summaries included in Table 9.

[*2] Kt/V summaries are supplemented with Medicare claims if missing in EQRS. HD Kt/V summaries are restricted to patients who dialyze thrice weekly. See section of Guide titled "*Determination of Thrice Weekly Dialysis*" for more information. The most recent value over a 4-month period is selected for PD Kt/V.

Dialysis Facility Report for Fiscal Year 2027

SAMPLE Dialysis Facility State: XX Network: 99 CCN: SAMPLE

TABLE 10: Mineral Metabolism Summaries for All Adult Dialysis Patients, 2022-2025^{*1}

Measure Name	This Facility				Regional Averages ^{*A} , 2025		
	2022	2023	2024	2025	State	Network	U.S.
10a Eligible adult patients (n)	77	76	76	75	80.9	81.0	81.1
10b Eligible adult patient-months (n) ^{*F}	664	660	658	657	703.6	704.2	705.5
10c Average Phosphorus (mg/dL) ^{*2}	5.5	5.5	5.6	5.6	5.6	5.6	5.6
10d Phosphorus categories (% of 10b; sums to 100%)^{*2}							
<3.5 mg/dL	7.3	7.2	7.0	6.8	7.0	7.0	7.0
3.5-4.5 mg/dL	22.3	22.2	21.5	20.6	20.8	20.7	20.8
4.6-5.5 mg/dL	28.0	27.2	26.9	25.5	25.7	25.7	25.7
5.6-7.0 mg/dL	22.2	23.6	24.5	25.3	25.5	25.6	25.5
>7.0 mg/dL	16.0	16.4	17.3	17.7	17.9	17.9	17.8
Out of Range (<0.01 mg/dL or >20 mg/dL)	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Missing	4.2	3.4	2.8	4.0	3.2	3.1	3.2
10e Average calcium uncorrected (mg/dL) (average of 10b)	8.9	8.8	8.9	8.9	8.9	8.9	8.9
10f Calcium uncorrected categories (% of 10b; sums to 100%)							
<8.4 mg/dL	18.7	20.1	19.1	19.7	19.8	19.8	19.8
8.4-10.2 mg/dL	76.3	75.6	77.0	75.1	75.9	76.0	75.9
>10.2 mg/dL	1.2	1.1	1.3	1.4	1.3	1.3	1.3
Out of Range (<0.01 mg/dL or >20 mg/dL)	0.0	0.0	0.0	0.0	0.1	0.1	0.0
Missing	3.8	3.2	2.6	3.8	3.0	2.9	3.0
10g Average uncorrected serum or plasma calcium > 10.2 mg/dL (%) ^{*3}	2.6	2.2	1.9	1.8	1.2	1.2	1.2

n/a = not applicable

[*A - *F] See **Appendix: Table Footnotes** on page 28.

[*1] See *Guide, Section XIII* for detailed information regarding the summaries included in Table 10.

[*2] Eligible patients included in the phosphorus summaries differ slightly from what is reported in 10b since it includes patient-months within the first 90 days of ESRD.

[*3] Hypercalcemia is averaged from uncorrected serum or plasma calcium values over a rolling 3-month period. Eligible patients included in the hypercalcemia summary differs slightly from what is reported in 10b since patients must be 18 years old as of the first day of the 3-month period. Missing or out of range values are counted towards the numerator.

Dialysis Facility Report for Fiscal Year 2027

SAMPLE Dialysis Facility State: XX Network: 99 CCN: SAMPLE

TABLE 11: Vascular Access Information for All Dialysis Patients and Access-Related Infection Summaries for All Medicare Patients, 2022-2025 *¹

Measure Name	This Facility				Regional Averages * ^A , 2025		
	2022	2023	2024	2025	State	Network	U.S.
Vascular Access							
11a	Prevalent adult hemodialysis patients (n)	71	70	70	69	76.2	76.3
11b	Prevalent adult hemodialysis patient-months (n) * ^F , * ²	606	596	592	592	651.3	651.9
11c	Vascular access type in use (% of 11b; sums to 100%)						
	Arteriovenous fistula	58.2	57.7	57.2	56.0	56.6	56.5
	Arteriovenous graft	15.9	16.0	16.3	16.5	17.0	17.1
	Catheter	22.6	23.7	24.6	25.7	25.4	25.0
	Other/Missing	3.2	2.5	2.0	1.8	1.0	1.0
11d	Standardized Fistula Rate (SFR) * ^D , * ³	59.3	58.7	58.0	56.8	56.8	56.7
11e	P-value for SFR * ^E	0.492	0.492	0.491	0.495	n/a	n/a
11f	Confidence interval for SFR * ^E						
	High (97.5% limit)	36.6	36.1	34.7	32.9	n/a	n/a
	Low (2.5% limit)	79.8	79.3	79.4	78.9	n/a	n/a
11g	Long-Term Catheter Rate * ⁴	17.4	18.2	18.6	19.8	19.3	19.1
Vascular Access at First Treatment							
11h	Incident hemodialysis patients (n)	13	13	13	13	14.5	14.5
11i	Vascular access type in use (% of 11h; sums to 100%)						
	Arteriovenous fistula	13.1	13.5	13.1	12.4	11.6	11.7
	Arteriovenous graft	3.2	3.6	3.7	3.6	3.4	3.4
	Catheter	81.8	81.1	81.7	80.2	81.4	81.4
	Other/Missing	1.9	1.8	1.4	3.7	3.5	3.6
11j	Arteriovenous fistulae in place (% of 11h) * ⁵	13.7	14.3	13.7	13.0	12.1	12.2
Infection: Peritoneal dialysis (PD)							
11k	Eligible PD patients (n)	5	5	5	4	10.3	10.2
11l	Eligible PD patient-months * ^F	35	33	32	30	70.6	69.5
11m	PD catheter infection rate per 100 PD patient-months	2.93	3.04	2.88	2.98	2.73	2.72
11n	P-value * ^E of 11m (compared to U.S. value) * ⁶	0.390	0.381	0.397	0.390	n/a	n/a

n/a = not applicable

[*A - *F] See **Appendix: Table Footnotes** on page 28.

[*1] See *Guide, Section XIV* for detailed information regarding the summaries included in Table 11.

[*2] Patient months with a catheter that have limited life expectancy, including under hospice care in the current reporting month, or with metastatic cancer, end stage liver disease, coma or anoxic brain injury in the past 12 months, were excluded.

[*3] Includes patients with an autogenous arteriovenous (AV) fistula as the sole means of vascular access. SFR is calculated as an adjusted rate of AV fistula in use reported in 11c; not shown if fewer than 11 eligible adult HD patients.

[*4] Includes patients using a catheter continuously for three months or longer. Patients with other or missing access types (11c) are also counted as catheter in use in the numerator.

[*5] Includes all patients with fistulae, regardless of whether or not they received their hemodialysis treatments using their fistulae.

[*6] Compared to U.S. value for that year: 2.66 (2022), 2.69 (2023), 2.64 (2024), and 2.69 (2025).

Dialysis Facility Report for Fiscal Year 2027

SAMPLE Dialysis Facility State: XX Network: 99 CCN: SAMPLE

TABLE 12: Comorbidities Reported on Inpatient Medicare Claims for Medicare Dialysis Patients Treated as of December 31st of Each Year, 2022-2025 ^{*1}

	Measure Name	This Facility				Regional Averages ^{*A} , 2025		
		2022	2023	2024	2025	State	Network	U.S.
12a	Medicare dialysis patients on 12/31 (n)	44	44	44	43	47.1	47.1	47.2
12b	Comorbidity (% yes of 12a)							
	Infections							
	AIDS/HIV positive	0.7	0.7	0.7	0.8	0.8	0.8	0.8
	Intravascular/implanted device-related ^{*2}	4.8	4.8	4.8	5.0	5.0	5.0	5.0
	Hepatitis B	0.4	0.4	0.4	0.5	0.5	0.5	0.5
	Hepatitis other	1.5	1.4	1.3	1.3	1.3	1.3	1.4
	Metastatic	1.4	1.6	1.6	1.7	1.7	1.7	1.8
	Pneumonia	3.3	3.6	3.8	4.2	4.2	4.2	4.3
	Tuberculosis	0.2	0.2	0.3	0.3	0.3	0.3	0.3
	Other	25.1	23.1	23.0	23.0	23.1	23.0	23.3
	Cardiovascular							
	Cardiac arrest	0.9	0.9	0.9	1.0	1.0	1.0	1.1
	Cardiac dysrhythmia	18.5	19.1	20.1	21.8	21.7	21.6	21.7
	Cerebrovascular disease	7.1	7.4	7.9	8.4	8.5	8.5	8.6
	Congestive heart failure	29.9	31.0	32.4	34.4	34.8	34.7	34.7
	Ischemic heart disease	25.4	25.8	26.9	28.3	28.6	28.5	28.5
	Myocardial infarction	7.7	8.2	8.6	9.4	9.6	9.6	9.8
	Peripheral vascular disease ^{*3}	16.2	16.9	17.5	18.7	18.9	18.9	19.1
	Other							
	Alcohol dependence	1.4	1.4	1.4	1.5	1.5	1.5	1.5
	Anemia	3.2	3.2	3.4	3.5	3.6	3.6	3.6
	Cancer	3.5	3.6	3.8	4.1	4.1	4.1	4.1
	Chronic obstructive pulmonary disease	14.1	14.5	15.2	16.1	16.3	16.3	16.0
	Diabetes	35.3	36.0	36.8	38.3	38.7	38.7	39.0
	Drug dependence	1.2	1.2	1.2	1.4	1.4	1.4	1.4
	Gastrointestinal tract bleeding	2.9	3.0	3.3	3.5	3.5	3.5	3.6
	Hyperparathyroidism	20.1	21.2	22.4	23.8	24.2	24.0	23.8
12c	Average number of comorbid conditions	2.2	2.3	2.4	2.5	2.5	2.5	2.5

n/a = not applicable

[*A - *F] See **Appendix: Table Footnotes** on page 28.

[*1] See *Guide, Section XV* for detailed information regarding the summaries included in Table 12. Based on patients with Medicare as primary insurer on 12/31 each year.

[*2] This category includes bloodstream and other infections related to intravascular access and other implanted devices, not limited to dialysis access.

[*3] Peripheral vascular disease includes venous, arterial, and nonspecific peripheral vascular diseases.

Dialysis Facility Report for Fiscal Year 2027

SAMPLE Dialysis Facility State: XX Network: 99 CCN: SAMPLE

TABLE 13: Facility Information, 2025^{*1}

Measure Name		This Facility 2025	Regional Averages ^{*A} , 2025		
			State	Network	U.S.
13a	Organization	SAMPLE MEDICAL CARE(SMC)			
13b	Ownership	Profit			
13c	Latest Medicare certification date	08/10/2005			
13d	Number of stations	17			
13e	Services provided	Hemodialysis			
13f	Shifts after 5:00 pm	Yes			
13g	Dialyzer Reuse	Yes			
13h	CMS Certification Numbers (CCN) included in this report	999999			
13i	National Provider Identifier (NPI)	1234569874			
Long Term Care (LTC)					
13j	Dialysis facility located in a Skilled Nursing Facility (SNF)	Yes			
13k	Services provided in LTC facility by non-SNF based facility	None			
Patient Placement					
13l	Patients treated during year from AFS Form-2744 (n)	101	101.3	101.3	101.5
13m	Transferred into facility (% of 13l)	16.6	16.6	16.6	16.3
13n	Transferred out of facility (% of 13l)	17.5	17.5	17.5	17.3
13o	Patients treated on 12/31 (n)	67	n/a	n/a	n/a
13p	Medicare eligibility status (% of 13o; sums to 100% ^{*B})		n/a	n/a	n/a
	Medicare	81.4	81.5	81.5	80.7
	Medicare application pending	1.1	0.9	0.9	0.9
	Non-Medicare	17.5	17.6	17.6	18.4
Survey and Certification ^{*2}					
13q	Date of last survey	01/03/2018			
13r	Type of survey	Recertification			
13s	Compliance condition after survey	Meets Requirements			
13t	Number of CFC deficiencies cited	0	0.3	0.3	0.3
13u	Number of Standard deficiencies cited	5	4.6	4.6	4.6

n/a = not applicable

[*A - *F] See **Appendix: Table Footnotes** on page 28.

[*1] See *Guide, Section XVI* for detailed information regarding the summaries included in Table 13 Information based on data reported in EQRS as of May 2026. If missing, data were not available.

[*2] Data on this section are from the facility's latest survey since January 2009 according to information reported in iQIES as of early June 2026.

Dialysis Facility Report for Fiscal Year 2027

SAMPLE Dialysis Facility State: XX Network: 99 CCN: SAMPLE

TABLE 14: Selected Measures for Dialysis Patients under Age 18, 2022-2025^{*1}

Measure Name		This Facility				Regional Averages ^{*A} , 2025		
		2022	2023	2024	2025	State	Network	U.S.
Patient Characteristics								
14.1a	Patients treated on 12/31 (n)	7	7	7	7	n/a	n/a	n/a
14.1c	Age (% of 14.1a; sums to 100%)							
	< 5	24.0	23.7	26.5	26.6	30.4	31.0	31.0
	5-9	11.8	11.2	11.3	10.9	12.8	13.1	14.0
	10-14	36.6	32.1	26.8	29.6	26.3	26.3	26.2
	15-17	27.6	32.9	35.5	32.9	30.5	29.7	28.8
14.1d	Female (% of 14.1a)	41.6	39.4	39.5	40.2	39.7	40.0	41.7
14.1e	Race (% of 14.11a; sums to 100%)							
	African American	25.7	28.2	26.7	19.2	21.5	21.8	19.9
	Asian/Pacific Islander	7.2	5.7	6.7	5.2	2.8	3.0	3.1
	Native American	1.2	1.5	2.0	0.9	0.7	0.7	0.9
	White	63.2	58.3	53.3	42.3	42.4	42.1	44.0
	Other/Unknown/Missing	2.7	6.3	11.3	32.5	32.6	32.4	32.1
14.1f	Ethnicity (% of 14.1a; sums to 100%)							
	Hispanic	30.2	30.3	29.8	21.8	23.0	23.5	25.7
	Non-Hispanic	69.7	69.6	69.7	51.7	49.8	49.9	48.2
	Unknown	0.0	0.1	0.4	26.5	27.2	26.6	26.1
14.1g	Cause of ESRD (% of 14.1a; sums to 100%)							
	Diabetes	0.3	0.2	0.0	0.0	0.5	0.5	0.4
	Hypertension	2.2	1.6	2.1	1.6	1.7	1.6	1.4
	Glomerulonephritis	30.9	27.9	28.0	29.6	26.9	26.7	26.1
	Cystic Kidney	34.0	37.2	35.8	38.3	37.6	37.3	37.5
	Congenital/Hereditary	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Hemolytic Uremic Syndrome	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Other	27.1	28.3	27.2	23.3	22.8	23.6	23.4
	Unknown/Missing	5.5	4.8	6.7	7.2	10.5	10.4	11.2
14.1i	Years since start of ESRD (% of 14.1a; sums to 100%)							
	< 1	34.0	36.2	35.0	33.8	35.6	35.3	34.4
	1-2	25.6	24.0	22.9	27.2	26.9	26.4	26.3
	2-3	10.9	11.8	13.2	11.1	12.0	12.3	13.0
	3-6	13.1	13.7	13.5	14.4	13.0	12.8	13.1
	6+	16.4	14.3	15.4	13.5	12.6	13.1	13.1
14.1k	Modality (% of 14.1a; sums to 100%)							
	In-center hemodialysis	46.2	51.5	53.0	50.5	52.2	51.9	51.5
	Home hemodialysis	1.0	0.4	0.0	0.7	0.1	0.1	0.2
	Continuous ambulatory peritoneal dialysis	2.0	1.9	1.6	2.9	0.9	0.9	1.0
	Continuous cycling peritoneal dialysis	50.5	45.6	45.2	45.6	46.2	46.5	46.8
	Other modality	0.3	0.6	0.1	0.3	0.6	0.6	0.5

(continued)

Dialysis Facility Report for Fiscal Year 2027

SAMPLE Dialysis Facility State: XX Network: 99 CCN: SAMPLE

TABLE 14 (cont.): Selected Measures for Dialysis Patients under Age 18, 2022-2025 *1

Measure Name		This Facility				Regional Averages *A, 2025		
		2022	2023	2024	2025	State	Network	U.S.
Characteristics of New Dialysis Patients								
14.2a	Total number of patients with forms (n)	4	4	4	4	n/a	n/a	n/a
14.2g	Medical coverage (% of 14.2a; sums to 100%)							
	Employer group only	20.2	14.5	18.9	16.3	18.0	18.0	17.7
	Medicare (alone or combined w/ other insurance)	0.7	1.9	2.2	2.6	2.2	2.0	1.9
	Medicaid only	61.5	61.6	55.5	57.7	56.2	55.9	55.5
	Other/Unknown/None	17.6	22.0	23.4	23.5	23.6	24.1	24.9
14.2k	Number of incident hemodialysis patients (n)	2	2	2	2	n/a	n/a	n/a
14.2l	Access used at first outpatient dialysis (% of 14.2k; sums to 100%)							
	Arteriovenous fistula	3.6	0.8	1.5	0.8	2.2	2.2	2.2
	Arteriovenous graft	0.3	0.0	1.0	0.8	1.3	1.1	1.2
	Catheter	96.0	98.7	97.0	98.3	96.4	96.5	96.4
	Other/Unknown/Missing	0.0	0.5	0.5	0.1	0.2	0.2	0.2
14.2m	Arteriovenous fistulae placed (% of 14.2k)	5.0	1.7	2.2	3.2	4.6	4.3	4.4
14.2s	Pre-ESRD nephrologist care (% of 14.2a; sums to 100%)							
	No	20.4	20.7	15.2	19.1	20.0	19.8	19.2
	Yes, < 6 months	24.2	22.2	23.2	27.2	24.4	25.7	26.4
	Yes, 6-12 months	15.3	16.6	12.7	11.4	13.7	13.1	12.9
	Yes, > 12 months	33.7	34.3	39.0	35.4	34.3	34.1	35.0
	Unknown	6.4	6.1	9.9	7.0	7.5	7.3	6.6
14.2t	Informed of transplant options (% of 14.2a)	93.5	94.1	91.9	94.3	93.7	94.6	94.4
Death Rates								
14.3a	Patients (n)	11	12	12	11	n/a	n/a	n/a
14.3c	Deaths (n)	0	0	0	0	n/a	n/a	n/a
Hospitalization Statistics								
14.4a	Medicare dialysis patients (n)	4	4	3	3	n/a	n/a	n/a
14.4c	Total days hospitalized (n)	32	36	31	28	n/a	n/a	n/a
14.4i	Total admissions (n)	4	4	4	4	n/a	n/a	n/a
Transplantation								
14.5d	Eligible patients (n)	10	10	10	10	n/a	n/a	n/a
14.5f	First transplants (n)	3	3	3	3	n/a	n/a	n/a
Waitlist								
14.6b	Eligible patients-months (n) *F	94	95	93	91	n/a	n/a	n/a
14.6c	Patients-months on the waitlist (% of 14.6b)	31.9	33.3	35.4	32.4	33.1	32.9	32.1
14.6d	Patient-months on the waitlist by age (%)							
	Age < 10	26.9	24.8	25.2	27.8	28.4	29.8	29.5
	Age 10-17	41.3	37.6	38.3	38.8	35.5	34.8	34.0

(continued)

Dialysis Facility Report for Fiscal Year 2027

SAMPLE Dialysis Facility State: XX Network: 99 CCN: SAMPLE

TABLE 14 (cont.): Selected Measures for Dialysis Patients under Age 18, 2022-2025^{*1}

Measure Name		This Facility				Regional Averages ^{*A} , 2025		
		2022	2023	2024	2025	State	Network	U.S.
Hemoglobin								
14.8b	Eligible HD patient-months (n) ^{*F}	37	38	39	39	n/a	n/a	n/a
14.8c	Average hemoglobin (g/dL) (average of 14.8b)	10.8	10.8	10.8	10.8	10.9	10.9	10.9
14.8d	Hemoglobin categories (% of 14.8b; sums to 100%)							
	< 10 g/dL	21.7	22.6	21.8	21.7	20.4	20.8	20.3
	10-<11 g/dL	26.2	23.1	24.1	27.2	25.7	25.3	25.2
	11-12 g/dL	30.3	31.0	30.1	30.3	30.9	30.7	31.4
	> 12 g/dL	14.7	15.5	16.5	15.4	16.4	16.7	16.7
	Missing/Out of Range	7.0	7.9	7.5	5.4	6.6	6.6	6.2
14.8g	Eligible PD patient-months (n) ^{*F}	42	41	37	36	n/a	n/a	n/a
14.8h	Average hemoglobin (g/dL) (average of 14.8g)	11.0	10.8	10.9	10.8	10.9	10.9	10.9
14.8i	Hemoglobin categories (% of 14.8g; sums to 100%)							
	< 10 g/dL	21.9	24.8	26.2	27.1	25.2	25.5	25.0
	10-<11 g/dL	22.6	23.2	22.6	21.8	21.6	22.3	21.8
	11-12 g/dL	21.7	21.9	21.8	21.4	21.4	21.8	21.9
	> 12 g/dL	20.3	17.9	20.4	21.1	21.2	20.3	21.0
	Missing/Out of Range	13.4	12.2	9.1	8.6	10.6	10.1	10.1
Albumin								
14.9b	Eligible HD patient-months (n) ^{*F}	37	38	39	39	n/a	n/a	n/a
14.9c	Average serum albumin (g/dL) (average of 14.9b)	4.1	4.0	4.0	4.1	4.0	4.0	4.0
14.9d	Serum albumin categories (% of 14.9b; sums to 100%)							
	< 3.0 g/dL	2.3	2.6	2.3	1.5	1.6	1.7	1.9
	3.0-<3.5 g/dL	6.4	5.3	7.0	6.4	7.1	6.9	7.6
	3.5-<4.0 g/dL	23.0	25.9	27.3	25.2	27.0	26.9	28.1
	>=4.0 g/dL	60.7	58.0	55.6	60.8	57.3	57.7	56.0
	Missing	7.5	8.2	7.7	6.0	7.1	6.8	6.4
14.9l	Eligible PD patient-months (n) ^{*F}	42	41	37	36	n/a	n/a	n/a
14.9o	Average serum albumin (g/dL) (average of 14.9l)	3.7	3.7	3.7	3.7	3.7	3.7	3.7
14.9p	Serum albumin categories (% of 14.9l; sums to 100%)							
	< 3.0 g/dL	9.5	8.0	8.8	8.2	9.3	9.5	10.4
	3.0-<3.5 g/dL	15.9	14.9	16.4	16.5	17.0	17.3	17.8
	3.5-<4.0 g/dL	26.4	28.1	28.1	25.4	25.9	26.5	25.8
	>=4.0 g/dL	33.3	31.9	30.3	33.3	30.9	30.5	30.1
	Missing	14.9	17.1	16.5	16.6	16.9	16.1	15.9
Kt/V^{*2}								
14.9h	Eligible HD patient-months (n) ^{*F}	30	31	33	33	n/a	n/a	n/a
14.9j	HD: Kt/V >= 1.2 (% of 14.9h)	87.3	87.6	86.5	88.0	87.8	88.9	88.1
14.9n	PD: Kt/V >= 1.8 (% of 14.9l)	74.2	77.2	76.1	79.6	77.8	78.5	78.7
Vascular Access^{*3}								
14.11b	Eligible patient-months (n) ^{*F}	42	43	44	43	n/a	n/a	n/a
14.11c	Arteriovenous Fistula in use (%)	14.5	10.9	11.4	10.9	8.1	7.9	7.4
14.11g	Long-Term Catheter Rate	63.4	65.8	67.3	68.9	71.9	73.4	75.0

n/a = not applicable

[*A - *F] See **Appendix: Table Footnotes** on page 28.

[*1] See *Guide, Section XVII* for detailed information regarding the summaries included in Table 14.

[*2] Kt/V: K = dialyzer clearance of urea; t = dialysis time; V = patient's total body water. HD Kt/v summaries restricted to patients on thrice weekly in-center hemodialysis. PD Kt/V summaries select the most recent value collected within 6 months of the reporting month.

[*3] 'Arteriovenous Fistula in use' includes patients with an autogenous arteriovenous (AV) fistula as the sole means of vascular access. 'Long-Term Catheter Rate' includes patients using a catheter continuously for three months or longer. Patients with other or missing access types (11c) are also counted as catheter in the numerator.

Dialysis Facility Report for Fiscal Year 2027

SAMPLE Dialysis Facility State: XX Network: 99 CCN: SAMPLE

TABLE 15: Selected Measures for Nursing Home (NH) Dialysis Patients, 2022-2025 ^{*1}

Measure Name		This Facility				Regional Averages ^{*A} , 2025		
		2022	2023	2024	2025	State	Network	U.S.
<i>Patient Characteristics</i>								
15.1a	Patients treated on 12/31 (n)	14	15	16	17	n/a	n/a	n/a
15.1c	Age (% of 15.1a; sums to 100%)							
	18-64	33.1	32.9	32.6	32.1	31.8	31.7	31.9
	65+	66.9	67.1	67.4	67.9	68.2	68.3	68.1
15.1d	Female (% of 15.1a)	47.8	48.1	46.8	46.9	46.8	46.8	47.1
15.1e	Race (% of 15.1a; sums to 100%)							
	African American	35.6	36.2	36.6	35.5	34.5	34.4	36.3
	Asian/Pacific Islander	4.8	5.0	5.1	5.0	5.0	5.2	4.4
	Native American	1.1	1.1	1.2	1.2	1.2	1.2	1.2
	White	58.2	57.1	56.2	53.9	54.8	54.7	54.0
	Other/Unknown/Missing	0.4	0.7	1.0	4.5	4.5	4.5	4.2
15.1f	Ethnicity (% of 15.1a; sums to 100%)							
	Hispanic	15.8	16.0	16.2	15.1	15.7	15.6	14.0
	Non-Hispanic	84.2	84.0	83.8	70.5	69.9	70.0	71.5
	Unknown	0.0	0.0	0.0	14.4	14.4	14.4	14.5
15.1g	Cause of ESRD (% of 15.1a; sums to 100%)							
	Diabetes	54.5	54.2	53.2	52.2	51.5	51.5	50.9
	Hypertension	27.5	27.6	28.0	28.7	28.7	28.7	29.3
	Glomerulonephritis	4.6	4.6	4.3	4.3	4.3	4.3	4.2
	Other	13.2	13.4	14.3	14.5	15.1	15.2	15.1
	Unknown/Missing	0.2	0.2	0.3	0.3	0.4	0.4	0.4
15.1i	Years since start of ESRD (% of 15.1a; sums to 100%)							
	< 1	21.3	20.7	20.7	20.7	20.7	20.8	20.8
	1-2	16.0	15.5	15.5	15.5	15.4	15.4	15.4
	2-3	11.7	12.8	12.3	12.1	12.2	12.2	12.3
	3-6	24.7	24.8	25.3	25.4	25.6	25.6	25.5
	6+	26.4	26.2	26.2	26.2	26.0	26.0	25.9
15.1k	Modality (% of 15.1a; sums to 100%)							
	In-center hemodialysis	94.0	93.4	93.2	92.4	90.3	90.2	89.4
	Home hemodialysis	3.2	3.9	4.5	5.1	6.8	6.8	7.6
	Continuous ambulatory peritoneal dialysis	0.1	0.2	0.2	0.2	0.2	0.2	0.3
	Continuous cycling peritoneal dialysis	1.8	1.8	1.5	1.6	2.0	1.9	2.0
	Other modality	0.9	0.7	0.6	0.8	0.8	0.8	0.8

(continued)

Dialysis Facility Report for Fiscal Year 2027

SAMPLE Dialysis Facility State: XX Network: 99 CCN: SAMPLE

TABLE 15 (cont.): Selected Measures for Nursing Home (NH) Dialysis Patients, 2022-2025^{*1}

Measure Name		This Facility				Regional Averages ^{*A} , 2025		
		2022	2023	2024	2025	State	Network	U.S.
Characteristics of New Dialysis Patients								
15.2a	Total number of patients with forms (n)	6	6	6	6	n/a	n/a	n/a
15.2g	Medical coverage (% of 15.2a; sums to 100%)							
	Employer group only	2.7	2.6	2.6	2.4	2.3	2.3	2.3
	Medicare (alone or combined w/ other insurance)	81.1	81.6	81.6	81.3	81.8	81.9	82.6
	Medicaid only	11.0	10.7	11.0	11.1	10.6	10.5	9.9
	Other/Unknown/None	5.2	5.1	4.8	5.2	5.3	5.2	5.2
15.2k	Number of incident hemodialysis patients (n)	6	6	6	7	n/a	n/a	n/a
15.2l	Access used at first outpatient dialysis (% of 15.2k; sums to 100%)							
	Arteriovenous fistula	6.2	7.8	6.6	6.1	6.2	6.0	6.0
	Arteriovenous graft	2.9	2.7	3.1	2.5	2.6	2.6	2.5
	Catheter	88.8	87.2	88.2	88.7	88.4	88.6	88.6
	Other/Unknown/Missing	2.0	2.4	2.1	2.6	2.9	2.8	2.9
15.2m	Arteriovenous fistulae placed (% of 15.2k)	15.0	16.6	14.4	13.2	13.1	12.9	12.7
15.2s	Pre-ESRD nephrologist care (% of 15.2a; sums to 100%)							
	No	18.0	16.3	16.8	15.8	15.8	15.8	15.3
	Yes, < 6 months	21.6	22.8	22.6	23.5	22.3	22.2	22.5
	Yes, 6-12 months	16.6	16.7	16.5	16.6	15.9	15.8	15.8
	Yes, > 12 months	21.9	21.8	21.6	21.1	20.8	20.9	20.9
	Unknown	21.9	22.4	22.3	22.7	25.0	25.1	25.3
15.2t	Informed of transplant options (% of 15.2a)	88.8	88.9	89.6	90.5	90.8	90.8	90.8
Mortality summary for all NH dialysis patients								
15.3b	Patient-years at risk (n)	14.8	15.7	16.6	17.9	n/a	n/a	n/a
15.3c	Deaths (n)	6	6	7	7	n/a	n/a	n/a
15.3d	Expected deaths (n)	5.4	5.4	5.7	6.1	n/a	n/a	n/a
15.3c/15.3b	Rate (deaths per 100 patient-years at risk)	42.4	40.4	38.7	36.5	40.2	40.2	42.9
15.3h	SMR (15.3c/15.3d)	1.15	1.19	1.18	1.14	1.20	1.20	1.27
15.3e	Withdrawal from dialysis prior to death (% of 15.3c)	27.1	28.4	28.0	27.6	27.7	27.8	26.7
Hospitalization summary for NH Medicare dialysis patients								
15.4b	Patient-years at risk (n)	12.7	13.4	14.3	15.4	n/a	n/a	n/a
15.4i	Total admissions (n)	37	39	43	50	n/a	n/a	n/a
15.4j	Expected total admissions (n)	25.0	27.0	29.4	33.8	n/a	n/a	n/a
15.4i/15.4b	Rate (admissions per 100 patient-years at risk)	294.7	297.1	304.2	323.1	326.3	325.5	334.1
15.4k	SHR (15.4i/15.4j)	1.47	1.46	1.46	1.47	1.52	1.52	1.54
15.4o	Diagnoses associated with hospitalization (% of 15.4a)							
	Septicemia	24.9	24.6	25.2	26.1	26.5	26.5	23.5
	Acute myocardial infarction	12.4	13.1	13.6	15.2	15.0	15.0	13.0
	Congestive heart failure	47.9	48.8	50.2	52.7	52.3	52.2	47.5
	Cardiac dysrhythmia	34.6	34.7	36.1	37.9	37.8	37.7	33.9
	Cardiac arrest	4.3	4.2	4.2	4.3	4.5	4.5	4.0

(continued)

Dialysis Facility Report for Fiscal Year 2027

SAMPLE Dialysis Facility State: XX Network: 99 CCN: SAMPLE

TABLE 15 (cont.): Selected Measures for Nursing Home (NH) Dialysis Patients, 2022-2025^{*1}

Measure Name		This Facility				Regional Averages ^{*A} , 2025		
		2022	2023	2024	2025	State	Network	U.S.
Comorbidities reported on Medicare claims								
15.12a	Medicare dialysis patients on 12/31 (n)	12	13	14	15	n/a	n/a	n/a
15.12b	Comorbidity (% yes of 15.12a)							
Infections								
	AIDS/HIV positive	1.0	1.0	1.0	1.0	1.0	1.0	1.1
	Intravascular/implanted device-related	8.3	7.9	7.8	8.5	8.6	8.6	8.8
	Hepatitis B	1.0	0.9	0.9	0.9	0.9	0.9	0.9
	Hepatitis other	3.3	3.1	2.8	2.8	2.8	2.7	2.8
	Metastatic	4.0	3.9	4.1	4.5	4.7	4.7	4.9
	Pneumonia	9.2	9.5	10.0	11.7	11.6	11.5	11.8
	Tuberculosis	0.2	0.4	0.3	0.4	0.4	0.4	0.4
	Other	50.4	46.4	45.9	47.0	46.8	46.8	47.3
Cardiovascular								
	Cardiac arrest	2.2	2.3	2.2	2.5	2.5	2.5	2.7
	Cardiac dysrhythmia	38.2	38.2	39.3	42.3	42.2	42.2	42.4
	Cerebrovascular disease	19.0	19.0	19.8	21.1	21.0	21.0	21.5
	Congestive heart failure	54.4	55.4	56.8	61.0	60.4	60.4	60.9
	Ischemic heart disease	45.9	45.8	46.4	49.3	49.0	48.9	49.2
	Myocardial infarction	14.4	15.3	16.0	18.5	18.2	18.2	18.3
	Peripheral vascular disease	35.1	35.7	36.9	39.1	38.8	38.7	39.1
Anemia								
15.8b	Eligible adult HD patient-months (n) ^{*F}	162	173	181	197	n/a	n/a	n/a
15.8d	Hemoglobin (HD) < 10 g/dL (% of 15.8b)	31	30	31	30	30.7	30.6	30.9
15.8e	ESA prescribed (% of 15.8b)	80	81	82	81	80.2	80.1	80.0
15.8g	Eligible adult PD patient-months (n) ^{*F}	5	5	5	5	n/a	n/a	n/a
15.8i	Hemoglobin (PD) < 10 g/dL (% of 15.8g)	29	29	29	30	30.1	30.1	29.6
15.8j	ESA prescribed (% of 15.8g)	59	59	57	60	57.0	57.1	56.5
Dialysis Adequacy^{*2}								
15.9b	Eligible adult HD Kt/V patient-months (n) ^{*F}	154	164	172	185	n/a	n/a	n/a
15.9k	Kt/V (HD) < 1.2 (% of 15.9b)	3	2	2	2	2.5	2.5	2.5
15.9m	Eligible adult PD Kt/V patient-months (n) ^{*F}	5	5	5	5	n/a	n/a	n/a
15.9o	Kt/V (PD) < 1.7 (% of 15.9m)	12	11	11	10	8.9	8.9	8.6
Vascular Access^{*3}								
15.11b	Prevalent adult hemodialysis patient months (n) ^{*F}	169	175	182	195	n/a	n/a	n/a
15.11c	Arteriovenous fistula in use (% of 15.11b)	47.7	48.3	48.1	46.7	47.5	47.5	46.8
15.11g	Long-Term Catheter Rate	23.0	23.2	23.3	24.5	23.9	24.0	24.3

n/a = not applicable

[*A - *F] See **Appendix: Table Footnotes** on page 28.

[*1] See *Guide, Section XVIII* for detailed information regarding the summaries included in Table 15.

[*2] Kt/V summaries are supplemented with Medicare claims if missing in EQRS. HD Kt/V summaries are restricted to patients who dialyze thrice weekly. See section of Guide titled "*Determination of Thrice Weekly Dialysis*" for more information. PD Kt/V summaries select the most recent value collected within 4 months of the reporting month.

[*3] Patient months with a catheter that have limited life expectancy, including under hospice care in the current reporting month, or with metastatic cancer, end stage liver disease, coma or anoxic brain injury in the past 12 months, were excluded. Other or missing access types are counted as catheter in use in the numerator. LTCR includes patients using a catheter continuously for three months or longer.

Appendix: Table Footnotes

This appendix provides information that applies to multiple tables.

[*A] Regional values are shown for the average facility. When the summary includes three- or four-years, values are shown for the average facility, annualized.

[*B] Values may not sum to exactly 100%. Refer to the appropriate section of the Guide found in the table-specific footnotes (section II) for additional details.

[*C] Sum of counts over the three- or four-years used for calculations and should not be compared to regional averages.

[*D] This value is the ratio of observed events to expected events. This value is not shown when there are too few events to yield reliable result. Refer to the table-specific footnotes (section II) below for the criteria for when the ratio is reported.

[*E] The confidence interval range represents uncertainty in the value of the ratio due to random variation. A p-value less than 0.05 indicates that the difference between the observed and expected events is probably real and is not due to random chance alone. A p-value greater than or equal to 0.05 indicates that the difference could plausibly be due to random chance.

[*F] A patient may be counted up to 12 times per year.

SAMPLE