

Data Dictionary for Quarterly Dialysis Facility Care Compare Downloadable Database

Public Release Date: October 2026
(Preview Period: July 15 – August 15, 2026)

This document provides the name, length, label, and type for each variable included in the downloadable database available on the DialysisData.org website.

The measures are calculated using the methodology described in the *Guide to the Quarterly Dialysis Facility Care Compare (QDFCC) Report* available for download from the “DFCC METHODS” tab of the Dialysis Data website (<https://dialysisdata.org/sites/default/files/content/dfccmethodology>).

The comma separated values (CSV) file opens in Microsoft Excel with the variable names in the first row.

In the data dictionary below:

CMS = Centers for Medicare and Medicaid Services

Facility Identification Variables

Variable Name	Type	Length	Description
dfc_report	Num	8	Facility in DFCC File (1=Yes, 0=No)
provfs	Char	6	CMS Certification Number (CCN)
qdfc_provname	Char	77	CMS Provider Name
state	Char	2	State
network	Char	2	Network

Preview Table

Variable Name	Type	Length	Description
five_star	Num	8	Quality of Patient Care Star Rating
smr_rate_f	Num	8	Standardized Mortality Rate (FACILITY)
smr_rate_lci_f	Num	8	Standardized Mortality Rate: Lower Confidence Limit
smr_rate_uci_f	Num	8	Standardized Mortality Rate: Upper Confidence Limit
dfcmorttext	Char	20	Mortality Category Text
rdsmz_f	Num	8	Number of Patients Included In Survival Summary
shr_rate_f	Num	8	Standardized Hospitalization Rate (FACILITY)
shr_rate_lci_f	Num	8	Standardized Hospitalization Rate: Lower Confidence Limit
shr_rate_uci_f	Num	8	Standardized Hospitalization Rate: Upper Confidence Limit
dfchosptext	Char	20	Hospitalization Category Text
rdshy4_f	Num	8	Number of Patients Included In Hospitalization Summary
srr_rate_f	Num	8	Standardized Readmission Rate (FACILITY)
srr_rate_lci_f	Num	8	Standardized Readmission Rate: Lower Confidence Limit
srr_rate_uci_f	Num	8	Standardized Readmission Rate: Upper Confidence Limit

Variable Name	Type	Length	Description
dfcsrrtext	Char	20	Hospital Readmission Category Text
indexy4_f	Num	8	Number of Hospital Discharges Included in Hospital Readmission Summary
sedry4_f	Num	8	Emergency Dept Encounter Ratio (FACILITY)
clochedy4_f	Num	8	Emergency Dept Encounter Ratio: Lower Confidence Limit
chichedy4_f	Num	8	Emergency Dept Encounter Ratio: Upper Confidence Limit
dfcsedrtext	Char	20	Emergency Dept Encounter Ratio: Category Text
rdsey4_f	Num	8	Number of Patients Included in the Emergency Dept Encounter Ratio Summary
ed30y4_f	Num	8	Emergency Dept Encounters within 30 Days of Hospitalization (FACILITY)
ed30lcly4_f	Num	8	Emergency Dept Encounters within 30 Days of Hospitalization: Lower Confidence Limit
ed30ucly4_f	Num	8	Emergency Dept Encounters within 30 Days of Hospitalization: Upper Confidence Limit
dfcedtext	Char	20	Emergency Dept Encounters within 30 Days of Hospitalization: Category Text
ed30indexy4_f	Num	8	Number of Hospital Discharges Included in the Emergency Dept Encounters within 30 Days of Hospitalization Summary
strr_rate_f	Num	8	Standardized Transfusion Rate (FACILITY)
strr_rate_lci_f	Num	8	Standardized Transfusion Rate: Lower Confidence Limit
strr_rate_uci_f	Num	8	Standardized Transfusion Rate: Upper Confidence Limit
dfcstrrtext	Char	20	Transfusion Category Text
patstr_f	Num	8	Number of Patients Included in Transfusion Summary
swrz_f	Num	8	First Year Standardized Kidney Transplant Waitlist Ratio (FYSWR) (FACILITY)
swr_cloz_f	Num	8	First Year Standardized Kidney Transplant Waitlist Ratio: Lower Confidence Limit
swr_chiz_f	Num	8	First Year Standardized Kidney Transplant Waitlist Ratio: Upper Confidence Limit
dfcswrtext	Char	20	First Year Standardized Kidney Transplant Waitlist Ratio Category Text
swr_ptz_f	Num	8	Number of Patients Included in First Year Standardized Kidney Transplant Waitlist

Variable Name	Type	Length	Description
			Ratio
pppw_f	Num	8	Percentage of Prevalent Patients Waitlisted for Kidney Transplant (PPPW) (FACILITY)
pppw_clo_f	Num	8	Percentage of Prevalent Patients Waitlisted for Kidney Transplant: Lower Confidence Limit
pppw_chi_f	Num	8	Percentage of Prevalent Patients Waitlisted for Kidney Transplant: Upper Confidence Limit
dfcpppwtext	Char	20	Percentage of Prevalent Patients Waitlisted for Kidney Transplant Category Text
pppw_pt_f	Num	8	Number of Patients Included in Percentage of Prevalent Patients Waitlisted for Kidney Transplant
sir_f	Num	8	Standardized Infection Ratio (SIR) (FACILITY)
sir_lci_f	Num	8	Standardized Infection Ratio: Lower Confidence Limit
sir_uci_f	Num	8	Standardized Infection Ratio: Upper Confidence Limit
dfcsirtext	Char	20	Standardized Infection Ratio Category Text
vax_f	Num	8	Healthcare Personnel COVID-19 Vaccination Adherence Percentage (FACILITY)
sfr_f	Num	8	Standardized Fistula Rate (SFR) (FACILITY)
sfrlcl_f	Num	8	Standardized Fistula Rate: Lower Confidence Limit
sfrucl_f	Num	8	Standardized Fistula Rate: Upper Confidence Limit
dfcsfrtext	Char	20	Standardized Fistula Rate Category Text
sfrpats_f	Num	8	Number of Patients Included In Fistula Summary
ltc_f	Num	8	Long-Term Catheter Rate, Rolling Year (FACILITY)
cwhd_ktvge12_f	Num	8	% of Adult Hemodialysis Patient-months with Kt/V $\geq$ 1.2 (FACILITY)
cwpd_ktvge17_f	Num	8	% of Adult Peritoneal Dialysis Patient-months with Kt/V $\geq$ 1.7 (FACILITY)
p_cwhd_ktvge12_f	Num	8	% of Pediatric Hemodialysis Patient-months with Kt/V $\geq$ 1.2 (FACILITY)
p_cwpd_ktvge18_f	Num	8	% of Pediatric Peritoneal Dialysis Patient-months with Kt/V $\geq$ 1.8 (FACILITY)

Variable Name	Type	Length	Description
p_npcr_num_f	Num	8	% of Pediatric Hemodialysis Patients with nPCR, Rolling Year (FACILITY)
hypercal_f	Num	8	% of Patient-months with Hypercalcemia (Serum Calcium > 10.2 mg/dL), Year (FACILITY)
hyperphos_f	Num	8	% of Patient-months with Hyperphosphatemia (Phosphorus >= 6.5 mg/dL), Rolling Year (FACILITY)
quality_top_f	Num	8	% of Patients Who Reported “Always”- Quality of Dialysis Center Care And Operations (FACILITY)
info_top_f	Num	8	% of Patients Who Reported “Yes”- Providing Information to Patients (FACILITY)
nephrate_top_f	Num	8	% of Patients Who Gave Their Nephrologist A Rating of 9 Or 10 on A Scale of 0 (Lowest) to 10 (Highest) (FACILITY)
staffrate_top_f	Num	8	% of Patients Who Gave Their Dialysis Center Staff A Rating of 9 Or 10 on A Scale of 0 (Lowest) to 10 (Highest) (FACILITY)
facrate_top_f	Num	8	% of Patients Who Gave Their Dialysis Facility A Rating of 9 Or 10 on A Scale of 0 (Lowest) to 10 (Highest) (FACILITY)
star_rating_nephrcomm_f	Num	8	Star Rating Score - Nephrologists’ Communication And Caring (FACILITY).
star_rating_quality_f	Num	8	Star Rating Score - Quality of Dialysis Center Care And Operation (FACILITY)
star_rating_info_f	Num	8	Star Rating Score - Providing Information to Patients (FACILITY)
star_rating_nephrate_f	Num	8	Star Rating Score - Rating of The Nephrologist (FACILITY)
star_rating_staffrate_f	Num	8	Star Rating Score - Rating of The Dialysis Center Staff (FACILITY)
star_rating_facrate_f	Num	8	Star Rating Score - Rating of The Dialysis Facility (FACILITY)
overall_star_rating_f	Num	8	ICH CAHPS Overall Star Rating (FACILITY)

Table 1: Mortality, Hospitalization, Readmission, Emergency Department Encounters, and Transfusion Summaries for Medicare Dialysis Patients, Fistula Use, First Year Standardized Kidney Transplant Waitlist Ratio and Prevalent Patients Waitlisted For Kidney Transplant Summary for All Dialysis Patients

Variable Name	Type	Length	Description
date_smr	Char	19	Years Patient Survival Is Based Upon
rdsmz_f	Num	8	Number of Patients Included in Survival Summary (FACILITY)
rdsmzm_s	Num	8	Average Number of Patients, Mortality Summary (STATE)
rdsmzm_u	Num	8	Average Number of Patients, Mortality Summary (US)
dysz_f	Num	8	Years at Risk for Mortality (FACILITY)
dysz_m_s	Num	8	Average Years at Risk for Mortality (Per Year in Average Facility) (STATE)
dysz_m_u	Num	8	Average Years at Risk for Mortality (Per Year in Average Facility) (US)
deaz_f	Num	8	Dialysis Patient Deaths (FACILITY)
deazm_s	Num	8	Average Number of Deaths (STATE)
deazm_u	Num	8	Average Number of Deaths (US)
exdz_f	Num	8	Expected Patient Deaths (FACILITY)
exdzm_s	Num	8	Average Expected Deaths (STATE)
exdzm_u	Num	8	Average Expected Deaths (US)
smrz_f	Num	8	Standardized Mortality Ratio (FACILITY)
smrz_s	Num	8	Standardized Mortality Ratio (STATE)
smrz_u	Num	8	Standardized Mortality Ratio (US)
clomz_f	Num	8	Standardized Mortality Ratio: Lower Confidence Limit
chimz_f	Num	8	Standardized Mortality Ratio: Upper Confidence Limit
pmz_f	Num	8	P-value for SMR (FACILITY)
smr_rate_f	Num	8	Standardized Mortality Rate (FACILITY)
obdrz_u	Num	8	Observed Death Rate (Per 100 Patient Years) (US)
smr_rate_lci_f	Num	8	Standardized Mortality Rate: Lower Confidence Limit
smr_rate_uci_f	Num	8	Standardized Mortality Rate: Upper Confidence Limit
date_shr	Char	19	Year Patient Hospitalization Is Based Upon
rdshy4_f	Num	8	# of Patients Included in Hospitalization Summary (FACILITY)

Variable Name	Type	Length	Description
rdshy4m_s	Num	8	Average # of Patients, Hospitalization Summary (STATE)
rdshy4m_u	Num	8	Average # of Patients, Hospitalization Summary (US)
hdy4_f	Num	8	Years at Risk for Hospitalization (FACILITY)
hdy4m_s	Num	8	Average Years at Risk for Hospitalization (STATE)
hdy4m_u	Num	8	Average Years at Risk for Hospitalization (US)
htay4_f	Num	8	# of Hospital Admissions (FACILITY)
htay4m_s	Num	8	Average # of Hospital Admissions (STATE)
htay4m_u	Num	8	Average # of Hospital Admissions (US)
exty4_f	Num	8	Expected # of Hospital Admissions (FACILITY)
exty4m_s	Num	8	Average Expected # of Hospital Admissions (STATE)
exty4m_u	Num	8	Average Expected # of Hospital Admissions (US)
shrty4_f	Num	8	Standardized Hospitalization Ratio (FACILITY)
shrty4_s	Num	8	Standardized Total Admission Ratio (STATE)
shrty4_u	Num	8	Standardized Total Admission Ratio (US)
clochtay4_f	Num	8	Standardized Hospitalization Ratio: Lower Confidence Limit
chichtay4_f	Num	8	Standardized Hospitalization Ratio: Upper Confidence Limit
pchtay4_f	Num	8	P-value for SHR (Admissions) (FACILITY)
shr_rate_f	Num	8	Hospitalization Rate (FACILITY)
shr_rate_lci_f	Num	8	Standardized Hospitalization Rate: Lower Confidence Limit
shr_rate_uci_f	Num	8	Standardized Hospitalization Rate: Upper Confidence Limit
obhtry4_u	Num	8	Hospitalization Admission Rate (Per Patient Year) (US)
date_srr	Char	19	Year Patient Readmission Is Based Upon
indexy4_f	Num	8	# of Hospital Discharges Included in Hospital Readmission Summary (FACILITY)
indexmy4_s	Num	8	Average # of Index Discharges (STATE)
indexmy4_u	Num	8	Average # of Index Discharges (US)
readmy4_f	Num	8	Total # of Readmissions (FACILITY)

Variable Name	Type	Length	Description
readmmy4_s	Num	8	Average # of Readmissions (STATE)
readmmy4_u	Num	8	Average # of Readmissions (US)
srrepxy4_f	Num	8	Expected # of Readmissions (FACILITY)
srrepxmy4_s	Num	8	Average # of Expected Readmissions (STATE)
srrepxmy4_u	Num	8	Average # of Expected Total Readmissions (US)
srry4_f	Num	8	Standardized Readmission Ratio (FACILITY)
srry4_s	Num	8	Standardized Readmission Ratio (STATE)
srry4_u	Num	8	Standardized Readmission Ratio (US)
srrlcl4_f	Num	8	Standardized Readmission Ratio: Lower Confidence Limit
srrucly4_f	Num	8	Standardized Readmission Ratio: Upper Confidence Limit
srrpy4_f	Num	8	P-value for Standardized Readmission Ratio (FACILITY)
srr_rate_f	Num	8	Readmission Rate (FACILITY)
srr_us_rate	Num	8	Hospitalization Readmission Rate (US)
srr_rate_lci_f	Num	8	Standardized Readmission Rate: Lower Confidence Limit
srr_rate_uci_f	Num	8	Standardized Readmission Rate: Upper Confidence Limit
date_strr	Char	19	Year Patient Transfusion Is Based Upon
patstr_f	Num	8	# of Patients Included in Transfusion Summary (FACILITY)
rdstry4m_s	Num	8	Average # of Patients Included in Standardized Transfusion Ratio (STATE)
rdstry4m_u	Num	8	Average # of Patients Included in Standardized Transfusion Ratio (US)
strpyr_f	Num	8	Patient-years at Risk for Standardized Transfusion Ratio (FACILITY)
tryy4m_s	Num	8	Average Patient-years at Risk for Standardized Transfusion Ratio (STATE)
tryy4m_u	Num	8	Average Patient-years at Risk for Standardized Transfusion Ratio (US)
obstrns_f	Num	8	Total Transfusions (FACILITY)
tfy4m_s	Num	8	Average # of Transfusions (STATE)
tfy4m_u	Num	8	Average # of Transfusions (US)
exttrns_f	Num	8	Expected Transfusions (FACILITY)
extfy4m_s	Num	8	Average # of Expected Transfusions (STATE)
extfy4m_u	Num	8	Average # of Expected Transfusions (US)

Variable Name	Type	Length	Description
strr_f	Num	8	Standardized Transfusion Ratio (FACILITY)
strry4_s	Num	8	Standardized Transfusion Ratio (STATE)
strry4_u	Num	8	Standardized Transfusion Ratio (US)
strrlcl_f	Num	8	Standardized Transfusion Ratio: Lower Confidence Limit
strrucl_f	Num	8	Standardized Transfusion Ratio: Upper Confidence Limit
strrpval_f	Num	8	P-value for Standardized Transfusion Ratio (FACILITY)
strr_rate_f	Num	8	Transfusion Rate (FACILITY)
strr_rate_u	Num	8	Transfusion Rate (US)
strr_rate_lci_f	Num	8	Standardized Transfusion Rate: Lower Confidence Limit
strr_rate_uci_f	Num	8	Standardized Transfusion Rate: Upper Confidence Limit
sfrpats_f	Num	8	# of Eligible Adult Hemodialysis Patients in Standardized Fistula Rate (FACILITY)
sfrpats_s	Num	8	Average # of Eligible Adult Hemodialysis Patients in Standardized Fistula Rate (STATE)
sfrpats_u	Num	8	Average # of Eligible Adult Hemodialysis Patients in Standardized Fistula Rate (US)
sfrpm_f	Num	8	Patient-months at Risk in Standardized Fistula Rate (FACILITY)
sfrpm_s	Num	8	Average # of Patient-months at Risk in Standardized Fistula Rate (STATE)
sfrpm_u	Num	8	Average # of Patient-months at Risk in Standardized Fistula Rate (US)
sfrnum_f	Num	8	# of Fistula-months (FACILITY)
sfrnum_s	Num	8	Average # of Fistula-months (STATE)
sfrnum_u	Num	8	Average # of Fistula-months (US)
sfr_f	Num	8	Standardized Fistula Rate (FACILITY)
sfr_s	Num	8	Standardized Fistula Rate (STATE)
sfr_u	Num	8	Standardized Fistula Rate (US)
sfrlcl_f	Num	8	Standardized Fistula Rate: Lower Confidence Limit
sfrucl_f	Num	8	Standardized Fistula Rate: Upper Confidence Limit
sfrp_f	Num	8	P-value for Standardized Fistula Rate (FACILITY)
date_swr	Char	19	Years Patient Transplant Waitlist Is Based Upon

Variable Name	Type	Length	Description
swr_ptz_f	Num	8	# of Patients Included in the First Year Standardized Kidney Transplant Waitlist Ratio (FACILITY)
swr_ptzm_s	Num	8	Average # of Patients for First Year Standardized Kidney Transplant Waitlist Ratio (Per Year in Average Facility) (STATE)
swr_ptzm_u	Num	8	Average # of Patients for First Year Standardized Kidney Transplant Waitlist Ratio (Per Year in Average Facility) (US)
swr_yz_f	Num	8	Years at Risk for First Year Standardized Kidney Transplant Waitlist Ratio (FACILITY)
swr_ym_s	Num	8	Average Years at Risk for First Year Standardized Kidney Transplant Waitlist Ratio (Per Year in Average Facility) (STATE)
swr_ym_u	Num	8	Average Years at Risk for First Year Standardized Kidney Transplant Waitlist Ratio (Per Year in Average Facility) (US)
swr_wlz_f	Num	8	# of Waitlisting Or Receipt of A Living-Donor Transplant (FACILITY)
swr_wlzm_s	Num	8	Average # of Waitlisting Or Receipt of A Living-Donor Transplant for SWR (Per Year in Average Facility) (STATE)
swr_wlzm_u	Num	8	Average # of Waitlisting Or Receipt of A Living-Donor Transplant for Standardized First Kidney Transplant Waitlisting Ratio (Per Year in Average Facility) (US)
swr_exwlz_f	Num	8	# of Expected Waitlisting Or Receipt of A Living-Donor Transplant (FACILITY)
swr_exwlzm_s	Num	8	Average # of Expected Transplant Waitlisting Or Receipt of A Living-Donor Transplant for Standardized First Kidney Transplant Waitlist Ratio (Per Year in Average Facility) (STATE)
swr_exwlzm_u	Num	8	Average # of Expected Transplant Waitlisting Or Receipt of A Living-Donor Transplant for Standardized First Kidney Transplant Waitlist Ratio (Per Year in Average Facility) (US)
swrz_f	Num	8	First Year Standardized Kidney Transplant Waitlist Ratio (FACILITY)
swrz_s	Num	8	First Year Standardized Kidney Transplant Waitlist Ratio (STATE)

Variable Name	Type	Length	Description
swrz_u	Num	8	First Year Standardized Kidney Transplant Waitlist Ratio (US)
swr_cloz_f	Num	8	First Year Standardized Kidney Transplant Waitlist Ratio: Lower Confidence Limit
swr_chiz_f	Num	8	First Year Standardized Kidney Transplant Waitlist Ratio: Upper Confidence Limit
swr_pz_f	Num	8	P-value for First Year Standardized Kidney Transplant Waitlist Ratio (FACILITY)
pppw_pt_f	Num	8	# of Patients Included in Percentage of Prevalent Patients Waitlisted for Kidney Transplant (FACILITY)
pppw_ptm_s	Num	8	Average # of Patients for Percentage of Prevalent Patients Waitlisted for Kidney Transplant (STATE)
pppw_ptm_u	Num	8	Average # of Patients for Percentage of Prevalent Patients Waitlisted for Kidney Transplant (US)
pppw_pm_f	Num	8	# of Patient-months for Percentage of Prevalent Patients Waitlisted for Kidney Transplant (FACILITY)
pppw_pmm_s	Num	8	Average # of Patient-months for Percentage of Prevalent Patients Waitlisted for Kidney Transplant (STATE)
pppw_pmm_u	Num	8	Average # of Patient-months for Percentage of Prevalent Patients Waitlisted for Kidney Transplant (US)
pppw_wlpm_f	Num	8	# of Waitlisted Patient-months for Percentage of Prevalent Patients Waitlisted for Kidney Transplant (FACILITY)
pppw_wlpmm_s	Num	8	Average # of Waitlisted Patient-months for Percentage of Prevalent Patients Waitlisted for Kidney Transplant (STATE)
pppw_wlpmm_u	Num	8	Average # of Waitlisted Patient-months for Percentage of Prevalent Patients Waitlisted for Kidney Transplant (US)
pppw_f	Num	8	Percentage of Prevalent Patients Waitlisted for Kidney Transplant (FACILITY)
pppw_s	Num	8	Percentage of Prevalent Patients Waitlisted for Kidney Transplant (STATE)
pppw_u	Num	8	Percentage of Prevalent Patients Waitlisted for Kidney Transplant (US)
pppw_clo_f	Num	8	Percentage of Prevalent Patients Waitlisted for Kidney Transplant: Lower Confidence Limit

Variable Name	Type	Length	Description
pppw_chi_f	Num	8	Percentage of Prevalent Patients Waitlisted for Kidney Transplant: Upper Confidence Limit
pppw_pvalue_f	Num	8	P-value for Percentage of Prevalent Patients Waitlisted for Kidney Transplant (FACILITY)
date_sedr	Char	19	Year Emergency Department Encounter Is Based upon
rdsey4_f	Num	8	Number of Eligible Patients in SEDR (Facility)
rdsey4m_s	Num	8	Average Number of Eligible Patients in SEDR (State)
rdsey4m_u	Num	8	Average Number of Eligible Patients in SEDR (US)
edyr4_f	Num	8	Patient-Years at Risk in SEDR (Facility)
edyr4m_s	Num	8	Average Patient-Years at Risk in SEDR (State)
edyr4m_u	Num	8	Average Patient-Years at Risk in SEDR (US)
hedy4_f	Num	8	Number of Emergency Department Events (Facility)
hedy4m_s	Num	8	Average Number of Emergency Department Events (State)
hedy4m_u	Num	8	Average Number of Emergency Department Events (US)
exedy4_f	Num	8	Expected Number of Emergency Department Events (Facility)
exedy4m_s	Num	8	Average Expected Number of Emergency Department Events (State)
exedy4m_u	Num	8	Average Expected Number of Emergency Department Events (US)
sedry4_f	Num	8	Standardized Emergency Department Ratio (Facility)
sedry4_s	Num	8	Standardized Emergency Department Ratio (State)
sedry4_u	Num	8	Standardized Emergency Department Ratio (US)
clochedy4_f	Num	8	Lower Confidence Limit in SEDR
chichedy4_f	Num	8	Upper Confidence Limit in SEDR
pchedy4_f	Num	8	P-Value in SEDR
dfcsedrtext	Char	20	SEDR Classification Category
date_ed	Char	19	Years Emergency Department Encounter within 30 Days of Hospital Discharge Is Based upon

Variable Name	Type	Length	Description
ed30indexy4_f	Num	8	Number of Index ED Hospital Discharges (Facility)
ed30indexmy4_s	Num	8	Average Number of Index ED Hospital Discharges (State)
ed30indexmy4_u	Num	8	Average Number of Index ED Hospital Discharges (US)
ed30obsy4_f	Num	8	Total ED Visits within 30 Days of Hospital Discharge (Facility)
ed30obsmy4_s	Num	8	Average Number of ED Visits within 30 Days of Hospital Discharge (State)
ed30obsmy4_u	Num	8	Average Number of ED Visits within 30 Days of Hospital Discharge (US)
ed30expy4_f	Num	8	Expected Total ED Visits within 30 Days of Hospital Discharge (Facility)
ed30expmy4_s	Num	8	Average Expected ED Visits within 30 Days of Hospital Discharge (State)
ed30expmy4_u	Num	8	Average Expected ED Visits within 30 Days of Hospital Discharge (US)
ed30y4_f	Num	8	Standardized ED Visits within 30 Days of Hospital Discharge (Facility)
ed30y4_s	Num	8	Standardized ED Visits within 30 Days of Hospital Discharge (State)
ed30y4_u	Num	8	Standardized ED Visits within 30 Days of Hospital Discharge (US)
ed30lcly4_f	Num	8	Lower Confidence Limit in ED30
ed30ucly4_f	Num	8	Upper Confidence Limit in ED30
ed30py4_f	Num	8	P-value in ED30
dfcedtext	Char	20	ED30 Classification Category
date_smsr	Char	19	Years Modality Switch Ratio is Based Upon
patmsmr_f	Num	8	Number of Patients Included in Modality Switch Summary (FACILITY)
patmsmr_s	Num	8	Average Number of Patients, Modality Switch Summary (STATE)
patmsmr_u	Num	8	Average Number of Patients, Modality Switch Summary (US)
pysmsr_f	Num	8	Years at Risk for Modality Switch (FACILITY)
pysmsr_s	Num	8	Average Years at Risk for Modality Switch (Per Year in Average Facility) (STATE)
pysmsr_u	Num	8	Average Years at Risk for Modality Switch (Per Year in Average Facility) (US)
switch_f	Num	8	Number of Modality Switches (FACILITY)

Variable Name	Type	Length	Description
switch_s	Num	8	Average Number of Switches (STATE)
switch_u	Num	8	Average Number of Switches (US)
expmsr_f	Num	8	Expected Number of Modality Switches (FACILITY)
expmsr_s	Num	8	Average Expected Number of Switches (STATE)
expmsr_u	Num	8	Average Expected Number of Switches (US)
smsr_f	Num	8	Standardized Modality Switch Ratio (FACILITY)
smsr_s	Num	8	Standardized Modality Switch Ratio (STATE)
smsr_u	Num	8	Standardized Modality Switch Ratio (US)
closmsr_f	Num	8	Standardized Modality Switch Ratio: Lower Confidence Limit (FACILITY)
chismsr_f	Num	8	Standardized Modality Switch Ratio: Upper Confidence Limit (FACILITY)
psmsr_f	Num	8	P-value for Standardized Modality Switch Ratio (FACILITY)
dfcsmsrtext	Char	20	Classification Category for Standardized Modality Switch Ratio (FACILITY)

Table 2: Facility Bloodstream Infection Summary for Dialysis Patients and Healthcare Personnel COVID-19 Vaccination Rate based on National Healthcare Safety Network

Variable Name	Type	Length	Description
date_sir	Char	19	Year Patient Infection Is Based Upon
sir_denom_f	Num	8	# of Patients-months Included in Infection Summary
sir_obs_f	Num	8	Total Infections (FACILITY)
sir_expect_f	Num	8	Expected Infections (FACILITY)
sir_f	Num	8	Standard Infection Ratio (FACILITY)
sir_lci_f	Num	8	Standardized Infection Ratio: Lower Confidence Limit
sir_uci_f	Num	8	Standardized Infection Ratio: Upper Confidence Limit
date_vax	Char	19	Months COVID-19 Vaccination Adherence Percentage is Based Upon
vax_den_f	Num	8	# of Healthcare Personnel Eligible to Receive COVID-19 Vaccination (FACILITY)

Variable Name	Type	Length	Description
vax_den_s	Num	8	# of Healthcare Personnel Eligible to Receive COVID-19 Vaccination (STATE)
vax_den_u	Num	8	# of Healthcare Personnel Eligible to Receive COVID-19 Vaccination (US)
vax_num_f	Num	8	# of Healthcare Personnel Contributing Towards Successful COVID-19 Vaccination Adherence (FACILITY)
vax_num_s	Num	8	# of Healthcare Personnel Contributing Towards Successful COVID-19 Vaccination Adherence (STATE)
vax_num_u	Num	8	# of Healthcare Personnel Contributing Towards Successful COVID-19 Vaccination Adherence (US)
vax_f	Num	8	Healthcare Personnel COVID-19 Vaccination Adherence Percentage (FACILITY)
vax_s	Num	8	Healthcare Personnel COVID-19 Vaccination Adherence Percentage (STATE)
vax_u	Num	8	Healthcare Personnel COVID-19 Vaccination Adherence Percentage (US)
vax_lci_f	Num	8	Healthcare Personnel COVID-19 Vaccination Adherence Percentage: Lower Confidence Limit (FACILITY)
vax_lci_s	Num	8	Healthcare Personnel COVID-19 Vaccination Adherence Percentage: Lower Confidence Limit (STATE)
vax_lci_u	Num	8	Healthcare Personnel COVID-19 Vaccination Adherence Percentage: Lower Confidence Limit (US)
vax_uci_f	Num	8	Healthcare Personnel COVID-19 Vaccination Adherence Percentage: Upper Confidence Limit (FACILITY)
vax_uci_s	Num	8	Healthcare Personnel COVID-19 Vaccination Adherence Percentage: Upper Confidence Limit (STATE)
vax_uci_u	Num	8	Healthcare Personnel COVID-19 Vaccination Adherence Percentage: Upper Confidence Limit (US)

Table 3: Facility Hemoglobin for Medicare Dialysis Patients based on Medicare Dialysis Claims

Variable Name	Type	Length	Description
---------------	------	--------	-------------

Variable Name	Type	Length	Description
date_claims	Char	19	Year Claims Measures Based Upon
hgbrdq1_f	Num	8	Eligible Hemoglobin Patients, Quarter 1 (FACILITY)
hgbrdq2_f	Num	8	Eligible Hemoglobin Patients, Quarter 2 (FACILITY)
hgbrdq3_f	Num	8	Eligible Hemoglobin Patients, Quarter 3 (FACILITY)
hgbrdq4_f	Num	8	Eligible Hemoglobin Patients, Quarter 4 (FACILITY)
hgbrd_f	Num	8	Eligible Hemoglobin Patients, Rolling Year (FACILITY)
hgbrdm_s	Num	8	Average # of Eligible Hemoglobin Patients, Rolling Year (STATE)
hgbrdm_u	Num	8	Average # of Eligible Hemoglobin Patients, Rolling Year (US)
hgbl10q1_f	Num	8	% of Patient-months with Hgb <10 g/dL, Quarter 1 (FACILITY)
hgbl10q2_f	Num	8	% of Patient-months with Hgb <10 g/dL, Quarter 2 (FACILITY)
hgbl10q3_f	Num	8	% of Patient-months with Hgb <10 g/dL, Quarter 3 (FACILITY)
hgbl10q4_f	Num	8	% of Patient-months with Hgb <10 g/dL, Quarter 4 (FACILITY)
hgbl10_f	Num	8	% of Patients with Hgb <10 g/dL, Rolling Year (FACILITY)
hgbl10_s	Num	8	% of Patients with Hgb <10 g/dL, Rolling Year (STATE)
hgbl10_u	Num	8	% of Patients with Hgb <10 g/dL, Rolling Year (US)
hgbg12q1_f	Num	8	% of Patient-months with Hgb >12 g/dL, Quarter 1 (FACILITY)
hgbg12q2_f	Num	8	% of Patient-months with Hgb >12 g/dL, Quarter 2 (FACILITY)
hgbg12q3_f	Num	8	% of Patient-months with Hgb >12 g/dL, Quarter 3 (FACILITY)
hgbg12q4_f	Num	8	% of Patient-months with Hgb >12 g/dL, Quarter 4 (FACILITY)
hgbg12_f	Num	8	% of Patients with Hgb >12 g/dL, Rolling Year (FACILITY)
hgbg12_s	Num	8	% of Patients with Hgb >12 g/dL, Rolling Year (STATE)
hgbg12_u	Num	8	% of Patients with Hgb >12 g/dL, Rolling Year (US)

Table 4: Facility Mineral and Bone Disorder, Dialysis Adequacy, Nutritional Status, and Long-Term Catheter Use for Dialysis Patients based on EQRS

Variable Name	Type	Length	Description
date_eqrs	Char	19	Year EQRS Measures Based Upon
hypercalpatsq1_f	Num	8	# of Eligible Patients in Hypercalcemia Summary, Quarter 1 (FACILITY)
hypercalpatsq2_f	Num	8	# of Eligible Patients in Hypercalcemia Summary, Quarter 2 (FACILITY)
hypercalpatsq3_f	Num	8	# of Eligible Patients in Hypercalcemia Summary, Quarter 3 (FACILITY)
hypercalpatsq4_f	Num	8	# of Eligible Patients in Hypercalcemia Summary, Quarter 4 (FACILITY)
hypercalpats_f	Num	8	# of Eligible Patients in Hypercalcemia Summary, Year, Rolling Year (FACILITY)
hypercalpatsm_s	Num	8	Average # of Eligible Patients in Hypercalcemia Summary, Rolling Year (STATE)
hypercalpatsm_u	Num	8	Average # of Eligible Patients in Hypercalcemia Summary, Rolling Year (US)
hypercalpmq1_f	Num	8	# of Eligible Patient-months in Hypercalcemia Summary, Quarter 1 (FACILITY)
hypercalpmq2_f	Num	8	# of Eligible Patient-months in Hypercalcemia Summary, Quarter 2 (FACILITY)
hypercalpmq3_f	Num	8	# of Eligible Patient-months in Hypercalcemia Summary, Quarter 3 (FACILITY)
hypercalpmq4_f	Num	8	# of Eligible Patient-months in Hypercalcemia Summary, Quarter 4 (FACILITY)
hypercalpm_f	Num	8	# of Eligible Patient-months in Hypercalcemia Summary, Rolling Year (FACILITY)
hypercalpmm_s	Num	8	Average # of Eligible Patient-months in Hypercalcemia Summary, Rolling Year (STATE)
hypercalpmm_u	Num	8	Average # of Eligible Patient-months in Hypercalcemia Summary, Rolling Year (US)
hypercalq1_f	Num	8	% of Patient-months with Hypercalcemia (Serum Calcium > 10.2 mg/dL), Quarter 1

Variable Name	Type	Length	Description
			(FACILITY)
hypercalq2_f	Num	8	% of Patient-months with Hypercalcemia (Serum Calcium > 10.2 mg/dL), Quarter 2 (FACILITY)
hypercalq3_f	Num	8	% of Patient-months with Hypercalcemia (Serum Calcium > 10.2 mg/dL), Quarter 3 (FACILITY)
hypercalq4_f	Num	8	% of Patient-months with Hypercalcemia (Serum Calcium > 10.2 mg/dL), Quarter 4 (FACILITY)
hypercal_f	Num	8	% of Patient-months with Hypercalcemia (Serum Calcium > 10.2 mg/dL), Rolling Year (FACILITY)
hypercal_s	Num	8	% of Patient-months with Hypercalcemia (Serum Calcium > 10.2 mg/dL), Rolling Year (STATE)
hypercal_u	Num	8	% of Patient-months with Hypercalcemia (Serum Calcium > 10.2 mg/dL), Rolling Year (US)
serumphospatsq1_f	Num	8	# of Eligible Patients in Phosphorous Summary, Quarter 1 (FACILITY)
serumphospatsq2_f	Num	8	# of Eligible Patients in Phosphorous Summary, Quarter 2 (FACILITY)
serumphospatsq3_f	Num	8	# of Eligible Patients in Phosphorous Summary, Quarter 3 (FACILITY)
serumphospatsq4_f	Num	8	# of Eligible Patients in Phosphorous Summary, Quarter 4 (FACILITY)
serumphospats_f	Num	8	# of Eligible Patients in Phosphorous Summary, Year (FACILITY)
serumphospatsm_s	Num	8	Average # of Eligible Patients in Phosphorous Summary, Rolling Year (STATE)
serumphospatsm_u	Num	8	Average # of Eligible Patients in Phosphorous Summary, Rolling Year (US)
serumphospmq1_f	Num	8	# of Eligible Patient-months in Phosphorous Summary, Quarter 1 (FACILITY)
serumphospmq2_f	Num	8	# of Eligible Patient-months in Phosphorous Summary, Quarter 2 (FACILITY)
serumphospmq3_f	Num	8	# of Eligible Patient-months in Phosphorous Summary, Quarter 3 (FACILITY)
serumphospmq4_f	Num	8	# of Eligible Patient-months in Phosphorous Summary, Quarter 4 (FACILITY)
serumphospm_f	Num	8	# of Eligible Patient-months in Phosphorous Summary, Rolling Year (FACILITY)

Variable Name	Type	Length	Description
serumphospmmm_s	Num	8	Average # of Eligible Patient-months in Phosphorous Summary, Rolling Year (STATE)
serumphospmmm_u	Num	8	Average # of Eligible Patient-months in Phosphorous Summary, Rolling Year (US)
serumphos1q1_f	Num	8	% of Patient-months with Serum Phosphorus < 3.5 mg/dL, Quarter 1 (FACILITY)
serumphos1q2_f	Num	8	% of Patient-months with Serum Phosphorus < 3.5 mg/dL, Quarter 2 (FACILITY)
serumphos1q3_f	Num	8	% of Patient-months with Serum Phosphorus < 3.5 mg/dL, Quarter 3 (FACILITY)
serumphos1q4_f	Num	8	% of Patient-months with Serum Phosphorus < 3.5 mg/dL, Quarter 4 (FACILITY)
serumphos1_f	Num	8	% of Patient-months with Serum Phosphorus < 3.5 mg/dL, Rolling Year (FACILITY)
serumphos1_s	Num	8	% of Patient-months with Serum Phosphorus < 3.5 mg/dL, Rolling Year (STATE)
serumphos1_u	Num	8	% of Patient-months with Serum Phosphorus < 3.5 mg/dL, Rolling Year (US)
serumphos2q1_f	Num	8	% of Patient-months with Serum Phosphorus Between 3.5-4.5 mg/dL, Quarter 1 (FACILITY)
serumphos2q2_f	Num	8	% of Patient-months with Serum Phosphorus Between 3.5-4.5 mg/dL, Quarter 2 (FACILITY)
serumphos2q3_f	Num	8	% of Patient-months with Serum Phosphorus Between 3.5-4.5 mg/dL, Quarter 3 (FACILITY)
serumphos2q4_f	Num	8	% of Patient-months with Serum Phosphorus Between 3.5-4.5 mg/dL, Quarter 4 (FACILITY)
serumphos2_f	Num	8	% of Patient-months with Serum Phosphorus Between 3.5-4.5 mg/dL, Rolling Year (FACILITY)
serumphos2_s	Num	8	% of Patient-months with Serum Phosphorus Between 3.5-4.5 mg/dL, Rolling Year (STATE)
serumphos2_u	Num	8	% of Patient-months with Serum

Variable Name	Type	Length	Description
			Phosphorus Between 3.5-4.5 mg/dL, Rolling Year (US)
serumphos3q1_f	Num	8	% of Patient-months with Serum Phosphorus Between 4.6-5.5 mg/dL, Quarter 1 (FACILITY)
serumphos3q2_f	Num	8	% of Patient-months with Serum Phosphorus Between 4.6-5.5 mg/dL, Quarter 2 (FACILITY)
serumphos3q3_f	Num	8	% of Patient-months with Serum Phosphorus Between 4.6-5.5 mg/dL, Quarter 3 (FACILITY)
serumphos3q4_f	Num	8	% of Patient-months with Serum Phosphorus Between 4.6-5.5 mg/dL, Quarter 4 (FACILITY)
serumphos3_f	Num	8	% of Patient-months with Serum Phosphorus Between 4.6-5.5 mg/dL, Rolling Year (FACILITY)
serumphos3_s	Num	8	% of Patient-months with Serum Phosphorus Between 4.6-5.5 mg/dL, Rolling Year (STATE)
serumphos3_u	Num	8	% of Patient-months with Serum Phosphorus Between 4.6-5.5 mg/dL, Rolling Year (US)
serumphos4q1_f	Num	8	% of Patient-months with Serum Phosphorus Between 5.6-7.0 mg/dL, Quarter 1 (FACILITY)
serumphos4q2_f	Num	8	% of Patient-months with Serum Phosphorus Between 5.6-7.0 mg/dL, Quarter 2 (FACILITY)
serumphos4q3_f	Num	8	% of Patient-months with Serum Phosphorus Between 5.6-7.0 mg/dL, Quarter 3 (FACILITY)
serumphos4q4_f	Num	8	% of Patient-months with Serum Phosphorus Between 5.6-7.0 mg/dL, Quarter 4 (FACILITY)
serumphos4_f	Num	8	% of Patient-months with Serum Phosphorus Between 5.6-7.0 mg/dL, Rolling Year (FACILITY)
serumphos4_s	Num	8	% of Patient-months with Serum Phosphorus Between 5.6-7.0 mg/dL, Rolling Year (STATE)
serumphos4_u	Num	8	% of Patient-months with Serum Phosphorus Between 5.6-7.0 mg/dL, Rolling Year (US)

Variable Name	Type	Length	Description
serumphos5q1_f	Num	8	% of Patient-months with Serum Phosphorus > 7.0 mg/dL, Quarter 1 (FACILITY)
serumphos5q2_f	Num	8	% of Patient-months with Serum Phosphorus > 7.0 mg/dL, Quarter 2 (FACILITY)
serumphos5q3_f	Num	8	% of Patient-months with Serum Phosphorus > 7.0 mg/dL, Quarter 3 (FACILITY)
serumphos5q4_f	Num	8	% of Patient-months with Serum Phosphorus > 7.0 mg/dL, Quarter 4 (FACILITY)
serumphos5_f	Num	8	% of Patient-months with Serum Phosphorus > 7.0 mg/dL, Rolling Year (FACILITY)
serumphos5_s	Num	8	% of Patient-months with Serum Phosphorus > 7.0 mg/dL, Rolling Year (STATE)
serumphos5_u	Num	8	% of Patient-months with Serum Phosphorus > 7.0 mg/dL, Rolling Year (US)
hyperphospatsq1_f	Num	8	# of Eligible Patients in Hyperphosphatemia Summary, Quarter 1 (FACILITY)
hyperphospatsq2_f	Num	8	# of Eligible Patients in Hyperphosphatemia Summary, Quarter 2 (FACILITY)
hyperphospatsq3_f	Num	8	# of Eligible Patients in Hyperphosphatemia Summary, Quarter 3 (FACILITY)
hyperphospatsq4_f	Num	8	# of Eligible Patients in Hyperphosphatemia Summary, Quarter 4 (FACILITY)
hyperphospats_f	Num	8	# of Eligible Patients in Hyperphosphatemia Summary, Rolling Year (FACILITY)
hyperphospatsm_s	Num	8	Average # of Eligible Patients in Hyperphosphatemia Summary, Rolling Year (STATE)
hyperphospatsm_u	Num	8	Average # of Eligible Patients in Hyperphosphatemia Summary, Rolling Year (US)
hyperphospmq1_f	Num	8	# of Eligible Patient-months in Hyperphosphatemia Summary, Quarter 1 (FACILITY)
hyperphospmq2_f	Num	8	# of Eligible Patient-months in Hyperphosphatemia Summary, Quarter 2 (FACILITY)
hyperphospmq3_f	Num	8	# of Eligible Patient-months in Hyperphosphatemia Summary, Quarter 3

Variable Name	Type	Length	Description
			(FACILITY)
hyperphospmq4_f	Num	8	# of Eligible Patient-months in Hyperphosphatemia Summary, Quarter 4 (FACILITY)
hyperphospm_f	Num	8	# of Eligible Patient-months in Hyperphosphatemia Summary, Rolling Year (FACILITY)
hyperphospm_s	Num	8	Average # of Eligible Patient-months in Hyperphosphatemia Summary, Rolling Year (STATE)
hyperphospm_u	Num	8	Average # of Eligible Patient-months in Hyperphosphatemia Summary, Rolling Year (US)
hyperphosq1_f	Num	8	% of Patient-months with Hyperphosphatemia (Phosphorus $\geq$ 6.5 mg/dL), Quarter 1 (FACILITY)
hyperphosq2_f	Num	8	% of Patient-months with Hyperphosphatemia (Phosphorus $\geq$ 6.5 mg/dL), Quarter 2 (FACILITY)
hyperphosq3_f	Num	8	% of Patient-months with Hyperphosphatemia (Phosphorus $\geq$ 6.5 mg/dL), Quarter 3 (FACILITY)
hyperphosq4_f	Num	8	% of Patient-months with Hyperphosphatemia (Phosphorus $\geq$ 6.5 mg/dL), Quarter 4 (FACILITY)
hyperphos_f	Num	8	% of Patient-months with Hyperphosphatemia (Phosphorus $\geq$ 6.5 mg/dL), Rolling Year (FACILITY)
hyperphos_s	Num	8	% of Patient-months with Hyperphosphatemia (Phosphorus $\geq$ 6.5 mg/dL), Rolling Year (STATE)
hyperphos_u	Num	8	% of Patient-months with Hyperphosphatemia (Phosphorus $\geq$ 6.5 mg/dL), Rolling Year (US)
cwhd_ktvge12q1_f	Num	8	% of Adult Hemodialysis Patient-months with Kt/V $\geq$ 1.2, Quarter 1 (FACILITY)
cwhd_ktvge12q2_f	Num	8	% of Adult Hemodialysis Patient-months with Kt/V $\geq$ 1.2, Quarter 2 (FACILITY)
cwhd_ktvge12q3_f	Num	8	% of Adult Hemodialysis Patient-months with Kt/V $\geq$ 1.2, Quarter 3 (FACILITY)
cwhd_ktvge12q4_f	Num	8	% of Adult Hemodialysis Patient-months with Kt/V $\geq$ 1.2, Quarter 4 (FACILITY)
cwhd_ktvge12_f	Num	8	% of Adult Hemodialysis Patient-months with Kt/V $\geq$ 1.2, Rolling Year (FACILITY)

Variable Name	Type	Length	Description
cwhd_ktvge12_s	Num	8	% of Adult Hemodialysis Patient-months with Kt/V $\geq$ 1.2, Rolling Year (STATE)
cwhd_ktvge12_u	Num	8	% of Adult Hemodialysis Patient-months with Kt/V $\geq$ 1.2, Rolling Year (US)
cwpd_ktvpatq1_f	Num	8	# of Eligible Adult Peritoneal Dialysis Kt/V Patients, Quarter 1 (FACILITY)
cwpd_ktvpatq2_f	Num	8	# of Eligible Adult Peritoneal Dialysis Kt/V Patients, Quarter 2 (FACILITY)
cwpd_ktvpatq3_f	Num	8	# of Eligible Adult Peritoneal Dialysis Kt/V Patients, Quarter 3 (FACILITY)
cwpd_ktvpatq4_f	Num	8	# of Eligible Adult Peritoneal Dialysis Kt/V Patients, Quarter 4 (FACILITY)
cwpd_ktvpat_f	Num	8	# of Eligible Adult Peritoneal Dialysis Kt/V Patients, Rolling Year (FACILITY)
cwpd_ktvpatm_s	Num	8	Average # of Eligible Adult Peritoneal Dialysis Kt/V Patients, Rolling Year (STATE)
cwpd_ktvpatm_u	Num	8	Average # of Eligible Adult Peritoneal Dialysis Kt/V Patients, Rolling Year (US)
cwpd_ktvpmq1_f	Num	8	Eligible Adult Peritoneal Dialysis Kt/V Patient-months, Quarter 1 (FACILITY)
cwpd_ktvpmq2_f	Num	8	Eligible Adult Peritoneal Dialysis Kt/V Patient-months, Quarter 2 (FACILITY)
cwpd_ktvpmq3_f	Num	8	Eligible Adult Peritoneal Dialysis Kt/V Patient-months, Quarter 3 (FACILITY)
cwpd_ktvpmq4_f	Num	8	Eligible Adult Peritoneal Dialysis Kt/V Patient-months, Quarter 4 (FACILITY)
cwpd_ktvpm_f	Num	8	# of Adult Peritoneal Dialysis Patient-months with Kt/V Data, Rolling Year (FACILITY)
cwpd_ktvpmm_s	Num	8	Average Eligible Adult Peritoneal Dialysis Kt/V Patient-months, Rolling Year (STATE)
cwpd_ktvpmm_u	Num	8	Average Eligible Adult Peritoneal Dialysis Kt/V Patient-months, Rolling Year (US)
cwpd_ktvmenoq1_f	Num	8	Eligible Adult Peritoneal Dialysis Patient-months with Kt/V Missing Or Out of Range, Quarter 1 (FACILITY)
cwpd_ktvmenoq2_f	Num	8	Eligible Adult Peritoneal Dialysis Patient-months with Kt/V Missing Or Out of Range, Quarter 2 (FACILITY)
cwpd_ktvmenoq3_f	Num	8	Eligible Adult Peritoneal Dialysis Patient-months with Kt/V Missing Or Out of Range, Quarter 3 (FACILITY)

Variable Name	Type	Length	Description
cwpd_ktvmenoq4_f	Num	8	Eligible Adult Peritoneal Dialysis Patient-months with Kt/V Missing Or Out of Range, Quarter 4 (FACILITY)
cwpd_ktvmeno_f	Num	8	# of Adult Peritoneal Dialysis Patient-months with Kt/V Missing Or Out of Range, Rolling Year (FACILITY)
cwpd_ktvmenom_s	Num	8	# of Adult Peritoneal Dialysis Patient-months with Kt/V Missing Or Out of Range, Rolling Year (STATE)
cwpd_ktvmenom_u	Num	8	# of Adult Peritoneal Dialysis Patient-months with Kt/V Missing Or Out of Range, Rolling Year (US)
cwpd_ktvge17q1_f	Num	8	% of Adult Peritoneal Dialysis Patient-months with Kt/V ≥ 1.7 , Quarter 1 (FACILITY)
cwpd_ktvge17q2_f	Num	8	% of Adult Peritoneal Dialysis Patient-months with Kt/V ≥ 1.7 , Quarter 2 (FACILITY)
cwpd_ktvge17q3_f	Num	8	% of Adult Peritoneal Dialysis Patient-months with Kt/V ≥ 1.7 , Quarter 3 (FACILITY)
cwpd_ktvge17q4_f	Num	8	% of Adult Peritoneal Dialysis Patient-months with Kt/V ≥ 1.7 , Quarter 4 (FACILITY)
cwpd_ktvge17_f	Num	8	% of Adult Peritoneal Dialysis Patient-months with Kt/V ≥ 1.7 (FACILITY)
cwpd_ktvge17_s	Num	8	% of Adult Peritoneal Dialysis Patient-months with Kt/V ≥ 1.7 (STATE)
cwpd_ktvge17_u	Num	8	% of Adult Peritoneal Dialysis Patient-months with Kt/V ≥ 1.7 (US)
p_cwhd_ktvpatq1_f	Num	8	# of Eligible Pediatric Hemodialysis Kt/V Patients, Quarter 1 (FACILITY)
p_cwhd_ktvpatq2_f	Num	8	# of Eligible Pediatric Hemodialysis Kt/V Patients, Quarter 2 (FACILITY)
p_cwhd_ktvpatq3_f	Num	8	# of Eligible Pediatric Hemodialysis Kt/V Patients, Quarter 3 (FACILITY)
p_cwhd_ktvpatq4_f	Num	8	# of Eligible Pediatric Hemodialysis Kt/V Patients, Quarter 4 (FACILITY)
p_cwhd_ktvpat_f	Num	8	# of Pediatric Hemodialysis Patients with Kt/V Data, Rolling Year (FACILITY)
p_cwhd_ktvpmq1_f	Num	8	# of Eligible Pediatric Hemodialysis Kt/V Patient-months, Quarter 1 (FACILITY)
p_cwhd_ktvpmq2_f	Num	8	# of Eligible Pediatric Hemodialysis Kt/V Patient-months, Quarter 2 (FACILITY)

Variable Name	Type	Length	Description
p_cwhd_ktvpmq3_f	Num	8	# of Eligible Pediatric Hemodialysis Kt/V Patient-months, Quarter 3 (FACILITY)
p_cwhd_ktvpmq4_f	Num	8	# of Eligible Pediatric Hemodialysis Kt/V Patient-months, Quarter 4 (FACILITY)
p_cwhd_ktvpm_f	Num	8	# of Pediatric Hemodialysis Patient-months with Kt/V Data, Rolling Year (FACILITY)
p_cwhd_ktvmenoq1_f	Num	8	# of Eligible Pediatric Hemodialysis Patient-months with Kt/V Missing Or Out of Range, Quarter 1 (FACILITY)
p_cwhd_ktvmenoq2_f	Num	8	# of Eligible Pediatric Hemodialysis Patient-months with Kt/V Missing Or Out of Range, Quarter 2 (FACILITY)
p_cwhd_ktvmenoq3_f	Num	8	# of Eligible Pediatric Hemodialysis Patient-months with Kt/V Missing Or Out of Range, Quarter 3 (FACILITY)
p_cwhd_ktvmenoq4_f	Num	8	# of Eligible Pediatric Hemodialysis Patient-months with Kt/V Missing Or Out of Range, Quarter 4 (FACILITY)
p_cwhd_ktvmeno_f	Num	8	# of Pediatric Hemodialysis Patient-months with Kt/V Missing Or Out of Range, Rolling Year (FACILITY)
p_cwhd_ktvge12q1_f	Num	8	% of Pediatric Hemodialysis Patient-months with Kt/V ≥ 1.2 , Quarter 1 (FACILITY)
p_cwhd_ktvge12q2_f	Num	8	% of Pediatric Hemodialysis Patient-months with Kt/V ≥ 1.2 , Quarter 2 (FACILITY)
p_cwhd_ktvge12q3_f	Num	8	% of Pediatric Hemodialysis Patient-months with Kt/V ≥ 1.2 , Quarter 3 (FACILITY)
p_cwhd_ktvge12q4_f	Num	8	% of Pediatric Hemodialysis Patient-months with Kt/V ≥ 1.2 , Quarter 4 (FACILITY)
p_cwhd_ktvge12_f	Num	8	% of Pediatric Hemodialysis Patient-months with Kt/V ≥ 1.2 , Rolling Year (FACILITY)
p_cwhd_ktvge12_s	Num	8	% of Pediatric Hemodialysis Patient-months with Kt/V ≥ 1.2 , Rolling Year (STATE)
p_cwhd_ktvge12_u	Num	8	% of Pediatric Hemodialysis Patient-months with Kt/V ≥ 1.2 , Rolling Year (US)
p_cwpd_ktvpatq1_f	Num	8	# of Eligible Pediatric Peritoneal Dialysis Kt/V Patients, Quarter 1 (FACILITY)
p_cwpd_ktvpatq2_f	Num	8	# of Eligible Pediatric Peritoneal Dialysis Kt/V Patients, Quarter 2 (FACILITY)
p_cwpd_ktvpatq3_f	Num	8	# of Eligible Pediatric Peritoneal Dialysis Kt/V Patients, Quarter 3 (FACILITY)
p_cwpd_ktvpatq4_f	Num	8	# of Eligible Pediatric Peritoneal Dialysis Kt/V Patients, Quarter 4 (FACILITY)
p_cwpd_ktvpat_f	Num	8	# of Pediatric Peritoneal Dialysis Patients

Variable Name	Type	Length	Description
			with Kt/V Data, Rolling Year (FACILITY)
p_cwpd_ktvpmq1_f	Num	8	# of Eligible Pediatric Peritoneal Dialysis Kt/V Patient-months, Quarter 1 (FACILITY)
p_cwpd_ktvpmq2_f	Num	8	# of Eligible Pediatric Peritoneal Dialysis Kt/V Patient-months, Quarter 2 (FACILITY)
p_cwpd_ktvpmq3_f	Num	8	# of Eligible Pediatric Peritoneal Dialysis Kt/V Patient-months, Quarter 3 (FACILITY)
p_cwpd_ktvpmq4_f	Num	8	# of Eligible Pediatric Peritoneal Dialysis Kt/V Patient-months, Quarter 4 (FACILITY)
p_cwpd_ktvpm_f	Num	8	# of Pediatric Peritoneal Dialysis Patient-months with Kt/V Data, Rolling Year (FACILITY)
p_cwpd_ktvmenoq1_f	Num	8	# of Eligible Pediatric Peritoneal Dialysis Patient-months with Kt/V Missing Or Out of Range, Quarter 1 (FACILITY)
p_cwpd_ktvmenoq2_f	Num	8	# of Eligible Pediatric Peritoneal Dialysis Patient-months with Kt/V Missing Or Out of Range, Quarter 2 (FACILITY)
p_cwpd_ktvmenoq3_f	Num	8	# of Eligible Pediatric Peritoneal Dialysis Patient-months with Kt/V Missing Or Out of Range, Quarter 3 (FACILITY)
p_cwpd_ktvmenoq4_f	Num	8	# of Eligible Pediatric Peritoneal Dialysis Patient-months with Kt/V Missing Or Out of Range, Quarter 4 (FACILITY)
p_cwpd_ktvmeno_f	Num	8	# of Pediatric Peritoneal Dialysis Patient-months with Kt/V Missing Or Out of Range, Rolling Year (FACILITY)
p_cwpd_ktvge18q1_f	Num	8	% of Pediatric Peritoneal Dialysis Patient-months with Kt/V ≥ 1.8 , Quarter 1 (FACILITY)
p_cwpd_ktvge18q2_f	Num	8	% of Pediatric Peritoneal Dialysis Patient-months with Kt/V ≥ 1.8 , Quarter 2 (FACILITY)
p_cwpd_ktvge18q3_f	Num	8	% of Pediatric Peritoneal Dialysis Patient-months with Kt/V ≥ 1.8 , Quarter 3 (FACILITY)
p_cwpd_ktvge18q4_f	Num	8	% of Pediatric Peritoneal Dialysis Patient-months with Kt/V ≥ 1.8 , Quarter 4 (FACILITY)
p_cwpd_ktvge18_f	Num	8	% of Pediatric Peritoneal Dialysis Patient-

Variable Name	Type	Length	Description
			months with Kt/V ≥ 1.8 , Rolling Year (FACILITY)
p_cwpd_ktvge18_s	Num	8	% of Pediatric Peritoneal Dialysis Patient-months with Kt/V ≥ 1.8 (STATE)
p_cwpd_ktvge18_u	Num	8	% of Pediatric Peritoneal Dialysis Patient-months with Kt/V ≥ 1.8 (US)
ltcpatsq1_f	Num	8	# of Long-Term Catheter Patients, Quarter 1 (FACILITY)
ltcpatsq2_f	Num	8	# of Long-Term Catheter Patients, Quarter 2 (FACILITY)
ltcpatsq3_f	Num	8	# of Long-Term Catheter Patients, Quarter 3 (FACILITY)
ltcpatsq4_f	Num	8	# of Long-Term Catheter Patients, Quarter 4 (FACILITY)
ltcpats_f	Num	8	# of Long-Term Catheter Patients, Rolling Year (FACILITY)
ltcpats_s	Num	8	# of Long-Term Catheter Patients (STATE)
ltcpats_u	Num	8	# of Long-Term Catheter Patients (US)
ltcpmq1_f	Num	8	# of Long-Term Catheter Patient-months, Quarter 1 (FACILITY)
ltcpmq2_f	Num	8	# of Long-Term Catheter Patient-months, Quarter 2 (FACILITY)
ltcpmq3_f	Num	8	# of Long-Term Catheter Patient-months, Quarter 3 (FACILITY)
ltcpmq4_f	Num	8	# of Long-Term Catheter Patient-months, Quarter 4 (FACILITY)
ltcpm_f	Num	8	# of Long-Term Catheter Patient-months, Rolling Year (FACILITY)
ltcpm_s	Num	8	# of Long-Term Catheter Patient-months, Rolling Year (STATE)
ltcpm_u	Num	8	# of Long-Term Catheter Patient-months, Rolling Year (US)
ltcq1_f	Num	8	Long-Term Catheter Rate, Quarter 1 (FACILITY)
ltcq2_f	Num	8	Long-Term Catheter Rate, Quarter 2 (FACILITY)
ltcq3_f	Num	8	Long-Term Catheter Rate, Quarter 3 (FACILITY)
ltcq4_f	Num	8	Long-Term Catheter Rate, Quarter 4 (FACILITY)
ltc_f	Num	8	Long-Term Catheter Rate, Rolling Year (FACILITY)
ltc_s	Num	8	Long-Term Catheter Rate, Rolling Year (STATE)

Variable Name	Type	Length	Description
ltc_u	Num	8	Long-Term Catheter Rate, Rolling Year (US)
p_npcr_num_f	Num	8	% of nPCR, Rolling Year (FACILITY)
p_npcr_num_q1_f	Num	8	% of nPCR, Quarter 1 (FACILITY)
p_npcr_num_q2_f	Num	8	% of nPCR, Quarter 2 (FACILITY)
p_npcr_num_q3_f	Num	8	% of nPCR, Quarter 3 (FACILITY)
p_npcr_num_q4_f	Num	8	% of nPCR, Quarter 4 (FACILITY)
p_npcr_num_s	Num	8	% of nPCR, Rolling Year (STATE)
p_npcr_num_u	Num	8	% of nPCR, Rolling Year (US)
p_npcr_pat_f	Num	8	Pediatric Patient Count, Rolling Year (FACILITY)
p_npcr_pat_q1_f	Num	8	Pediatric Patient Count, Quarter 1 (FACILITY)
p_npcr_pat_q2_f	Num	8	Pediatric Patient Count, Quarter 2 (FACILITY)
p_npcr_pat_q3_f	Num	8	Pediatric Patient Count, Quarter 3 (FACILITY)
p_npcr_pat_q4_f	Num	8	Pediatric Patient Count, Quarter 4 (FACILITY)
p_npcr_pm_f	Num	8	Pediatric Patient-month Count, Rolling Year (FACILITY)
p_npcr_pm_q1_f	Num	8	Pediatric Patient-month Count, Quarter 1 (FACILITY)
p_npcr_pm_q2_f	Num	8	Pediatric Patient-month Count, Quarter 2 (FACILITY)
p_npcr_pm_q3_f	Num	8	Pediatric Patient-month Count, Quarter 3 (FACILITY)
p_npcr_pm_q4_f	Num	8	Pediatric Patient-month Count, Quarter 4 (FACILITY)

Table 5: Patient Reported Outcomes based on ICH CAHPS

Variable Name	Type	Length	Description
date_cahps	Char	19	Lists The Combined Data Collection Periods for The ICH CAHPS Survey
completed_surveys_f	Num	8	Lists The Number of Completed ICH CAHPS Surveys for The Facility
completed_surveys_s	Num	8	Lists The Number of Completed ICH CAHPS Surveys for The State
completed_surveys_u	Num	8	Lists The Number of Completed ICH CAHPS Surveys for The Nation
response_rate_f	Num	8	Lists The ICH CAHPS Survey Response Rate for The Facility

Variable Name	Type	Length	Description
response_rate_s	Num	8	Lists The Average ICH CAHPS Survey Response Rate for The State
response_rate_u	Num	8	Lists The Average ICH CAHPS Survey Response Rate for The Nation
nephcomm_bot_f	Num	8	Lists The Percent of Patients Who Reported “Sometimes” Or “Never”- Nephrologists’ Communication and Caring (FACILITY)
nephcomm_mid_f	Num	8	Lists The Percent of Patients Who Reported “Usually”- Nephrologists’ Communication And Caring (FACILITY)
nephcomm_top_f	Num	8	Lists The Percent of Patients Who Reported “Always”- Nephrologists’ Communication And Caring (FACILITY)
nephcomm_bot_s	Num	8	Lists The Percent of Patients Who Reported “Sometimes” Or “Never”- Nephrologists’ Communication And Caring (STATE)
nephcomm_mid_s	Num	8	Lists The Percent of Patients Who Reported “Usually”- Nephrologists’ Communication And Caring (STATE)
nephcomm_top_s	Num	8	Lists The Percent of Patients Who Reported “Always”- Nephrologists’ Communication And Caring (STATE)
nephcomm_bot_u	Num	8	Lists The Percent of Patients Who Reported “Sometimes” Or “Never”- Nephrologists’ Communication And Caring (US)
nephcomm_mid_u	Num	8	Lists The Percent of Patients Who Reported “Usually”- Nephrologists’ Communication And Caring (US)
nephcomm_top_u	Num	8	Lists The Percent of Patients Who Reported “Always”- Nephrologists’ Communication And Caring (US)
linearized_nephcomm_f	Num	8	Lists The Linearized Score - Nephrologists’ Communication And Caring (FACILITY)
linearized_nephcomm_s	Num	8	Lists The Linearized Score - Nephrologists’ Communication And Caring (STATE)
linearized_nephcomm_u	Num	8	Lists The Linearized Score - Nephrologists’ Communication And Caring (US)
star_rating_nephcomm_f	Num	8	Lists The Star Rating Score - Nephrologists’ Communication And Caring (FACILITY)
quality_bot_f	Num	8	Lists The Percent of Patients Who Reported “Sometimes” Or “Never”- Quality of Dialysis Center Care And Operations (FACILITY)
quality_mid_f	Num	8	Lists The Percent of Patients Who Reported

Variable Name	Type	Length	Description
			“Usually”- Quality of Dialysis Center Care And Operations (FACILITY)
quality_top_f	Num	8	Lists The Percent of Patients Who Reported “Always”- Quality of Dialysis Center Care And Operations (FACILITY)
quality_bot_s	Num	8	Lists The Percent of Patients Who Reported “Sometimes” Or “Never”- Quality of Dialysis Center Care And Operations (STATE)
quality_mid_s	Num	8	Lists The Percent of Patients Who Reported “Usually”- Quality of Dialysis Center Care And Operations (STATE)
quality_top_s	Num	8	Lists The Percent of Patients Who Reported “Always”- Quality of Dialysis Center Care And Operations (STATE)
quality_bot_u	Num	8	Lists The Percent of Patients Who Reported “Sometimes” Or “Never”- Quality of Dialysis Center Care And Operations (US)
quality_mid_u	Num	8	Lists The Percent of Patients Who Reported “Usually”- Quality of Dialysis Center Care And Operations (US)
quality_top_u	Num	8	Lists The Percent of Patients Who Reported “Always”- Quality of Dialysis Center Care And Operations (US)
linearized_quality_f	Num	8	Lists The Linearized Score - Quality of Dialysis Center Care And Operation (FACILITY)
linearized_quality_s	Num	8	Lists The Linearized Score - Quality of Dialysis Center Care And Operation (STATE)
linearized_quality_u	Num	8	Lists The Linearized Score - Quality of Dialysis Center Care And Operation (US).
star_rating_quality_f	Num	8	Lists The Star Rating Score - Quality of Dialysis Center Care And Operation (FACILITY)
info_bot_f	Num	8	Lists The Percent of Patients Who Reported “No”- Providing Information to Patients (FACILITY)
info_top_f	Num	8	Lists The Percent of Patients Who Reported “Yes”- Providing Information to Patients (FACILITY)
info_bot_s	Num	8	Lists The Percent of Patients Who Reported “No”- Providing Information to Patients (STATE)

Variable Name	Type	Length	Description
info_top_s	Num	8	Lists The Percent of Patients Who Reported “Yes”- Providing Information to Patients (STATE)
info_bot_u	Num	8	Lists The Percent of Patients Who Reported “No”- Providing Information to Patients (US)
info_top_u	Num	8	Lists The Percent of Patients Who Reported “Yes”- Providing Information to Patients (US)
linearized_info_f	Num	8	Lists The Linearized Score - Providing Information to Patients (FACILITY)
linearized_info_s	Num	8	Lists The Linearized Score - Providing Information to Patients (STATE)
linearized_info_u	Num	8	Lists The Linearized Score - Providing Information to Patients (US)
star_rating_info_f	Num	8	Lists The Star Rating Score - Providing Information to Patients (FACILITY)
nephrate_bot_f	Num	8	Lists The Percent of Patients Who Gave Their Nephrologist A Rating of 6 Or Lower on A Scale of 0 (Lowest) to 10 (Highest) (FACILITY)
nephrate_mid_f	Num	8	Lists The Percent of Patients Who Gave Their Nephrologist A Rating of 7 Or 8 on A Scale of 0 (Lowest) to 10 (Highest) (FACILITY)
nephrate_top_f	Num	8	Lists The Percent of Patients Who Gave Their Nephrologist A Rating of 9 Or 10 on A Scale of 0 (Lowest) to 10 (Highest) (FACILITY)
nephrate_bot_s	Num	8	Lists The Percent of Patients Who Gave Their Nephrologist A Rating of 6 or Lower on A Scale of 0 (Lowest) to 10 (Highest) (STATE)
nephrate_mid_s	Num	8	Lists The Percent of Patients Who Gave Their Nephrologist A Rating of 7 Or 8 on A Scale of 0 (Lowest) to 10 (Highest) (STATE)
nephrate_top_s	Num	8	Lists The Percent of Patients Who Gave Their Nephrologist A Rating of 9 Or 10 on A Scale of 0 (Lowest) to 10 (Highest) (STATE)
nephrate_bot_u	Num	8	Lists The Percent of Patients Who Gave Their Nephrologist A Rating of 6 Or Lower on A Scale of 0 (Lowest) to 10 (Highest) (US)

Variable Name	Type	Length	Description
nephrate_mid_u	Num	8	Lists The Percent of Patients Who Gave Their Nephrologist A Rating of 7 Or 8 on A Scale of 0 (Lowest) to 10 (Highest) (US)
nephrate_top_u	Num	8	Lists The Percent of Patients Who Gave Their Nephrologist A Rating of 9 Or 10 on A Scale of 0 (Lowest) to 10 (Highest) (US)
linearized_nephrate_f	Num	8	Lists The Linearized Score - Rating of The Nephrologist (FACILITY)
linearized_nephrate_s	Num	8	Lists The Linearized Score - Rating of The Nephrologist (STATE)
linearized_nephrate_u	Num	8	Lists The Linearized Score - Rating of The Nephrologist (US)
star_rating_nephrate_f	Num	8	Lists The Star Rating Score - Rating of The Nephrologist (FACILITY).
staffrate_bot_f	Num	8	Lists The Percent of Patients Who Gave Their Dialysis Center Staff A Rating of 6 Or Lower on A Scale of 0 (Lowest) to 10 (Highest) (FACILITY)
staffrate_mid_f	Num	8	Lists The Percent of Patients Who Gave Their Dialysis Center Staff A Rating of 7 Or 8 on A Scale of 0 (Lowest) to 10 (Highest) (FACILITY)
staffrate_top_f	Num	8	Lists The Percent of Patients Who Gave Their Dialysis Center Staff A Rating of 9 Or 10 on A Scale of 0 (Lowest) to 10 (Highest) (FACILITY)
staffrate_bot_s	Num	8	Lists The Percent of Patients Who Gave Their Dialysis Center Staff A Rating of 6 Or Lower on A Scale of 0 (Lowest) to 10 (Highest) (STATE)
staffrate_mid_s	Num	8	Lists The Percent of Patients Who Gave Their Dialysis Center Staff A Rating of 7 Or 8 on A Scale of 0 (Lowest) to 10 (Highest) (STATE)
staffrate_top_s	Num	8	Lists The Percent of Patients Who Gave Their Dialysis Center Staff A Rating of 9 Or 10 on A Scale of 0 (Lowest) to 10 (Highest) (STATE)
staffrate_bot_u	Num	8	Lists The Percent of Patients Who Gave Their Dialysis Center Staff A Rating of 6 Or Lower on A Scale of 0 (Lowest) to 10 (Highest) (US)
staffrate_mid_u	Num	8	Lists The Percent of Patients Who Gave Their Dialysis Center Staff A Rating of 7 Or 8 on A Scale of 0 (Lowest) to 10 (Highest)

Variable Name	Type	Length	Description
			(US)
staffrate_top_u	Num	8	Lists The Percent of Patients Who Gave Their Dialysis Center Staff A Rating of 9 Or 10 on A Scale of 0 (Lowest) to 10 (Highest) (US)
linearized_staffrate_f	Num	8	Lists The Linearized Score - Rating of The Dialysis Center Staff (FACILITY)
linearized_staffrate_s	Num	8	Lists The Linearized Score - Rating of The Dialysis Center Staff (STATE)
linearized_staffrate_u	Num	8	Lists The Linearized Score - Rating of The Dialysis Center Staff (US)
star_rating_staffrate_f	Num	8	Lists The Star Rating Score - Rating of The Dialysis Center Staff Star Rating (FACILITY)
facrate_bot_f	Num	8	Lists The Percent of Patients Who Gave Their Dialysis Facility A Rating of 6 Or Lower on A Scale of 0 (Lowest) to 10 (Highest) (FACILITY)
facrate_mid_f	Num	8	Lists The Percent of Patients Who Gave Their Dialysis Facility A Rating of 7 Or 8 on A Scale of 0 (Lowest) to 10 (Highest) (FACILITY)
facrate_top_f	Num	8	Lists The Percent of Patients Who Gave Their Dialysis Facility A Rating of 9 Or 10 on A Scale of 0 (Lowest) to 10 (Highest) (FACILITY)
facrate_bot_s	Num	8	Lists The Percent of Patients Who Gave Their Dialysis Facility A Rating of 6 Or Lower on A Scale of 0 (Lowest) to 10 (Highest) (STATE)
facrate_mid_s	Num	8	Lists The Percent of Patients Who Gave Their Dialysis Facility A Rating of 7 Or 8 on A Scale of 0 (Lowest) to 10 (Highest) (STATE)
facrate_top_s	Num	8	Lists The Percent of Patients Who Gave Their Dialysis Facility A Rating of 9 Or 10 on A Scale of 0 (Lowest) to 10 (Highest) (STATE)
facrate_bot_u	Num	8	Lists The Percent of Patients Who Gave Their Dialysis Facility A Rating of 6 Or Lower on A Scale of 0 (Lowest) to 10 (Highest) (US)
facrate_mid_u	Num	8	Lists The Percent of Patients Who Gave Their Dialysis Facility A Rating of 7 Or 8

Variable Name	Type	Length	Description
			on A Scale of 0 (Lowest) to 10 (Highest) (US)
facrate_top_u	Num	8	Lists The Percent of Patients Who Gave Their Dialysis Facility A Rating of 9 Or 10 on A Scale of 0 (Lowest) to 10 (Highest) (US)
linearized_facrate_f	Num	8	Lists The Linearized Score - Rating of The Dialysis Facility (FACILITY)
linearized_facrate_s	Num	8	Lists The Linearized Score - Rating of The Dialysis Facility (STATE)
linearized_facrate_u	Num	8	Lists The Linearized Score - Rating of The Dialysis Facility (US)
star_rating_facrate_f	Num	8	Lists The Star Rating Score - Rating of The Dialysis Facility (FACILITY)
overall_star_rating_f	Num	8	ICH CAHPS Overall Star Rating (FACILITY)

Table 6: Facility Star Rating Calculation

Variable Name	Type	Length	Description
factor1	Num	8	Domain 1 Score (Current) (FACILITY)
dfc_smrz_f_c	Num	8	Standardized Mortality Ratio (Current) (FACILITY)
n_smrz_f	Num	8	Measure Score: Standardized Mortality Ratio (Current) (FACILITY)
dfc_shrty4_f_c	Num	8	Standardized Hospitalization Ratio (Current) (FACILITY)
n_shrty4_f	Num	8	Measure Score: Standardized Hospitalization Ratio (Current) (FACILITY)
dfc_srry4_f_c	Num	8	Standardized Readmission Ratio (Current) (FACILITY)
n_srry4_f	Num	8	Measure Score: Standardized Readmission Ratio (Current) (FACILITY)
dfc_strr_f_c	Num	8	Standardized Transfusion Ratio (Current) (FACILITY)
n_strr_f	Num	8	Measure Score: Standardized Transfusion Ratio (Current) (FACILITY)
factor2	Num	8	Domain 2 Score (Current) (FACILITY)
dfc_sfr_f_c	Num	8	Standardized Fistula Rate (Current) (FACILITY)
wc_star_sfr_f	Num	8	Measure Score: Standardized Fistula Ratio (Current) (FACILITY)
dfc_ltc_f_c	Num	8	Long Term Catheter Rate (Current)

Variable Name	Type	Length	Description
			(FACILITY)
wc_star_ltc_f	Num	8	Measure Score: Catheter (Current) (FACILITY)
factor3	Num	8	Domain 3 Score (Current) (FACILITY)
star_hdktpm12_f	Num	8	% of Adult Hemodialysis Patient-months with Kt/V ≥ 1.2 , Rolling Year (Current) (FACILITY)
star_pdktpm17_f	Num	8	% of Adult Peritoneal Hemodialysis Patient-months with Kt/V ≥ 1.7 , Rolling Year (Current) (FACILITY)
star_phdktpm12_f	Num	8	% of Pediatric Hemodialysis Patient-months with Kt/V ≥ 1.2 , Rolling Year (Current) (FACILITY)
star_ppdktpm18_f	Num	8	% of Pediatric Peritoneal Hemodialysis Patient-months with Kt/V ≥ 1.8 , Rolling Year (current) (FACILITY)
dfc_totktvgval_f_c	Num	8	Overall % of Patients with Kt/V $\geq$ Specified Threshold (Current) (FACILITY)
wc_star_totktvgval_f	Num	8	Measure Score: Kt/V (Current) (FACILITY)
dfc_hypercal_f_c	Num	8	% of Patient-Months with Hypercalcemia (Serum Calcium > 10.2 mg/dL), Rolling Year (Current) (FACILITY)
wc_star_hypercal_f	Num	8	Measure Score: Hypercalcemia (Current) (FACILITY)
factor4	Num	8	Domain 4 Score (Current) (FACILITY)
dfc_swrz_f_c	Num	8	First Year Standardized Kidney Transplant Waitlist Ratio (Current) (FACILITY)
n_swr_f	Num	8	Measure Score: First Year Standardized Kidney Transplant Waitlist Ratio (Current) (FACILITY)
dfc_pppw_f_c	Num	8	Percentage of Prevalent Patients Waitlisted for Kidney Transplant (Current) (FACILITY)
wc_star_pppw_f	Num	8	Measure Score: Percentage of Prevalent Patients Waitlisted for Kidney Transplant (Current) (FACILITY)
final_score	Num	8	Quality of Patient Care Final Score (FACILITY)
five_star	Num	8	Quality of Patient Care Star Rating (FACILITY)
date_five_star	Char	19	Years Five Star is based upon